

PRODUKT KATALOG

PRODUCT CATALOG



ProFinEx Handels und Service GmbH

GÖLT - Höchstleistung zum fairen Preis!

Dank unserer qualifizierten und erfahrenen Mitarbeiter ist es uns gelungen ein Sortiment zu entwickeln, das für wirklich jeden Einsatzbereich das optimale Öl bietet. Dabei sind all unsere Produkte „Made in Germany“ und werden stets unter Einhaltung von anerkannten und regelmäßig überprüften Qualitätsstandards hergestellt.

In unserer werkseigenen Produktkonzeption entwickeln Experten innovative Hochleistungsschmierstoffe, die optimal auf Ihre Bedürfnisse zugeschnitten sind. Ob Qualität, Technologie oder Leistungsfähigkeit - mit unseren GÖLT Produkten treffen Sie immer die richtige Wahl.

In unserer Produktübersicht stellen wir Ihnen unser umfangreiches Portfolio vor. Sie benötigen weitere Informationen? Unser Team steht Ihnen jederzeit gern zur Verfügung.

GÖLT - high-performance at a fair price!

Thanks to our qualified and experienced staff, we have succeeded in developing an assortment that offers the optimum oil for every application. All our products are „Made in Germany“ and are always produced in compliance with recognized and regularly checked quality standards.

In our in-house product conception, experts develop innovative high-performance lubricants that are optimally tailored to your needs. Whether quality, technology or performance - with our GÖLT products you always make the right choice.

In our product overview we present you our extensive portfolio. You need more information? Our team is always at your disposal.

3	Produkte mit Freigaben Products with approvals	✓
10	PKW Motorenöle Engine oils for passenger cars	
24	LKW Motorenöle Heavy duty engine oils	
34	Gemischter Fuhrpark Mixed fleet	
36	Getriebeöle Transmission fluids	
50	Industrie- und Hydrauliköle Industrial and hydraulic fluids	
61	Landmaschinen-, 2- und 4-Taktöle Agricultural machinery, 2- and 4-stroke engine oils	
68	Marineöle Marine oils	
70	Weitere Öle More oils	

Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.		Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
				
GÖLT FS Excellence LS 0W-20 0074-000005		API SN ACEA C5 ILSAC GF-5	Volvo VCC RBS0-2AE	-
GÖLT DXS Premium 0W-20 0074-000008		API SP (RC) API SN Plus ILSAC GF-5 ILSAC GF-6A	API SP (RC) API SN Plus ILSAC GF-6A	Chrysler MS-6395 dexos1™ Gen 2 Fiat 9.55535-GSX Fiat 9.55535-CR1 Ford WSS-M2C 947-A Ford WSS-M2C 947-B1 Ford WSS-M2C 962-A GM 6094M Honda/Nissan/Toyota Hybrid gasoline engines
GÖLT Professional LongLife IV 0W-20 0074-000007		ACEA C5	VW 508 00 VW 509 00	Porsche C20
GÖLT FS Supreme 0W-20 0074-000006		API SP ACEA A1/B1 ACEA C5	MB-Freigabe 229.71	dexosD Opel/Vauxhall OV 0401547
GÖLT LongLife IV 0W-20 0074-000013		ACEA C5	VW 508 00 VW 509 00	Porsche C20
GÖLT LHC 0W-30 0074-000017		ACEA C2/C3	MB-Freigabe 229.51	BMW Longlife-04 dexos2™ MB 229.31 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00 VW 505 01
GÖLT LL Professional 0W-30 0074-000019		API SN ACEA C3	VW 504 00 VW 507 00	BMW Longlife-04 Fiat 9.55535-S3 MB 229.31 MB 229.51 Porsche C30
GÖLT FS 0W-30 VLV 0074-000024		API SL/CF ACEA A5/B5	VOLVO VCC 95200377	Ford WSS-M2C 920-A Renault RN0700 Renault RN0710
GÖLT FD Excellence 0W-30 0074-000021		ACEA C2	Jaguar Land Rover STJLR.03.5007	Fiat 9.55535-GS1 Fiat 9.55535-DS1 Ford WSS-M2C 950-A

Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Premium LL-12 FE 0W-30 0074-000020	ACEA C2	BMW Longlife-12 FE	-
GÖLT FS Super 0W-30 0713	API SL ACEA A3/B4	MB-Freigabe 229.5 Renault RN0700 Renault RN0710 VOLVO VCC 95200356 VW 502 00 VW 505 00	BMW Longlife-01 GM-LL-A-025 GM-LL-B-025
GÖLT FS Excellence 0W-40 0074-000028	API SN/CF ACEA A3/B4	API SN MB-Freigabe 226.5 MB-Freigabe 229.5 Porsche A40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00	BMW Longlife-01 Fiat 9.55535-M2 Fiat 9.55535-Z2 Ford WSS-M2C 937-A MB 229.3 PSA B71 2296
GÖLT DXS Premium 5W-20 0074-000040	API SP (RC) API SN Plus (RC) ILSAC GF-5 ILSAC GF-6A	API SP (RC) API SN Plus ILSAC GF-6A	Chrysler MS6395 dexos1™ Gen 2 Ford WSS-M2C 945-B1 Ford WSS-M2C 960-A
GÖLT FS Excellence FD 5W-30 0074-000045	API SL/CF ACEA A1/B1 ACEA A5/B5	API SL Ford WSS-M2C 913-D Renault RN700	Fiat 9.55535-N1 Ford WSS-M2C 913-A Ford WSS-M2C 913-B Ford WSS-M2C 913-C Iveco 18-1811 Classe S1/S2 Jaguar Land Rover STJLR 03.5003
GÖLT FS Select 5W-30 0074-000047	API SL/CF ACEA A3/B4	MB-Freigabe 229.3 MB-Freigabe 229.5 VW 502 00 VW 505 00	BMW Longlife-01 MB 226.5 Opel GM-LL-A-025 Opel GM-LL-B-025 Renault RN0700 Renault RN0710
GÖLT FS Excellence LS Ultra 5W-30 0074-000054	ACEA C1/C2	Jaguar Land Rover STJLR.03.5005	Ford WSS-M2C 934-A Ford WSS-M2C 934-B
GÖLT FS Excellence LS-M 5W-30 0074-000048	API SN/CF ACEA C2/C3	API SN BMW Longlife-04 dexos2™ (D23502BH374) MB-Freigabe 229.31 MB-Freigabe 229.51 MB-Freigabe 229.52 VW 505 00 VW 505 01	Chrysler MS-11106 Fiat 9.55535-S3 Ford WSS-M2C 917-A Opel/Vauxhall OV 0401547 (nur Dieselmotoren) Renault RN0700 Renault RN0710 VW 502 00



Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT FS Dura Fusion 5W-30 0074-000051	ACEA C4	MB-Freigabe 226.51 Renault RN0720	Fiat 9.55535-S4
GÖLT WIV-Multi LL 5W-30 0074-000050	API SN ACEA C3	BMW Longlife-04 MB-Freigabe 229.51 VW 504 00 VW 507 00	Fiat 9.55535-S3 MB 229.31 Porsche C30
GÖLT DXS Premium 5W-30 0074-000055	API SP (RC) API SN Plus ILSAC GF-5 ILSAC GF-6A	API SP (RC) API SN Plus ILSAC GF-6A	Chrysler MS-6395 dexos1™ Gen 2 Fiat 9.55535-CR1 Ford WSS-M2C 929-A Ford WSS-M2C 946-A Ford WSS-M2C 946-B1 Ford WSS-M2C 961-A GM 6094M
GÖLT WIV-Mul i Supreme 5W-30 0074-000062	API SP ACEA C3	BMW Longlife-04 MB-Freigabe 229.51 MB-Freigabe 229.52 VW 504 00/507 00	MB 229.31 Porsche C30
GÖLT FS 5W-40 0074-000073	API SN/CF ACEA A3/B4	MB-Freigabe 229.3	BMW Longlife-98 Fiat 9.55535-H2 Fiat 9.55535-M2 Fiat 9.55535-N2 Opel GM-LL-B-025 Porsche A40 ab Modelljahr 1973 (außer Cayenne V6) PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
GÖLT HC Synth. 5W-40 LS UN 0074-000074	API SN/CF ACEA C3	API SN MB-Freigabe 229.31 MB-Freigabe 229.51 Renault RN0700 Renault RN0710 VW 505 00 VW 505 01	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Fiat 9.55535-GH2 Ford WSS-M2C 917-A MB 226.5 Porsche A40 VW 502 00
GÖLT FS Elite 5W-40 0074-000075	API SN/CF ACEA A3/B4	API SN MB-Freigabe 229.5	BMW Longlife-01 Chrysler MS-10725 Chrysler MS-12991 Fiat 9.55535-H2 Fiat 9.55535-M2 Fiat 9.55535-N2 Fiat 9.55535-Z2 MB 229.3 MB 226.5 Opel GM-LL-B-025 Porsche A40 PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
GÖLT Semi Synth. 10W-40 0074-000099	API SM/CF ACEA A3/B4	MB-Freigabe 229.1	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 PSA B71 2294 VW 501 01 VW 505 00

Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT FS Excellence HP 10W-40 0074-000112	API SN/CF ACEA A3/B4	MB-Freigabe 229.3	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 Lada-Avtovaz MB 226.5 PSA B71 2294 PSA B71 2300 Renault RN0700 Renault RN0710 VW 501 01 VW 502 00 VW 505 00
			
GÖLT Ultra Low SAPS HD 5W-30 0074-000068	API CJ-4 ACEA E4/E6/E7/E9	Mack EO-O Premium Plus MAN M 3677 MAN M 3477 MAN M 3575 MAN M 3271-1 MB-Freigabe 228.51 MB-Freigabe 228.31 Renault VI RLD-3 Volvo VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA Iveco 18-1804 TLS E6 MAN M 3691 MB 235.28 MTU Type 3.1 MTU Type 2.1 Scania LDF-4 Scania Low Ash Voith Retarder B Volvo CNG
GÖLT HD Diesel Supreme 5W-30 0074-000071	API FA-4/SN	API FA-4/SN	Cummins CES 20087 DDC 93K223 MB 228.61
GÖLT Low SAPS HD Supreme 5W-30 0074-000072	API CK-4/SN ACEA E6/E7/E9 JASO DH-2	Deutz DQC IV-18 LA MAN M 3677 MB-Freigabe 228.51 Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5 MTU Typ 3.1 * Scania Low Ash * * Freigaben werden/wurden beantragt (Stand 06/2021) * Approvals are/have been requested (as of 06/2021)	Caterpillar ECF-3 Cummins CES 20086 DDC 93K222 Ford WSS-M2C 213-A MAN M 3271-1 MAN M 3477 MAN M 3775 MB 228.31 MB 228.52
GÖLT Low SAPS HD Supreme 10W-30 0074-000091	API CK-4/SN ACEA E6/E7/E9	API CK-4 Mack EOS-4.5 MB-Freigabe 228.51 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA MAN M 3271-1 MAN M 3775 MAN M 3677 MAN M 3477 MTU Typ 3.1 Scania Low Ash



















Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT HC SHPD Diesel 10W-40 0074-000102	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	API CI-4 Cummins CES 20077 Cummins CES 20078 Mack EO-N MAN M 3275-1 MB-Freigabe 228.3 MB-Freigabe 229.1 Renault VI RLD-2 Volvo VDS-3	Allison C-4 Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20076 DAF DDC 93K215 Deutz DQC III-10 MB 235.28 MTU Type 2 Voith Retarder B VW 500 00 VW 501 01 VW 505 00
GÖLT HC PT Diesel 10W-40 0074-000105	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	API CI-4 Cummins CES 20077 Cummins CES 20078 Deutz DQC III-10 Mack EO-N MAN M 3277 MB-Freigabe 228.5 MTU Type 3 Renault VI RLD-2 Volvo VDS-3	Cummins CES 20076 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Iveco 18-1804 T3 E4 Renault VI RXD Scania LDF-2 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Zetor
GÖLT Universal UHPD 10W-40 0074-000107	API CI-4 ACEA E6/E7/E9 JASO DH-2	API CI-4 Deutz DQC IV-10 LA Mack EO-N MAN M 3477 MB-Freigabe 228.51 MTU Type 3.1 Renault VI RLD-2 Volvo VDS-3	Caterpillar ECF-2 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DAF HP-2 MAN M 3271-1 MAN M 3277 Renault VI RGD Renault VI RXD Scania Low Ash
GÖLT Low SAPS HD Premium 10W-40 0074-000110	API CK-4/SN ACEA E6/E7/E9 JASO DH-2	API CK-4 Deutz DQC IV-10 LA Mack EOS-4.5 MB-Freigabe 228.51 Renault VI RLD-3 Volvo VDS-4.5	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 MAN M 3477 MTU Type 3.1
GÖLT Ultra LS HD 10W-40 0074-000111	API CJ-4 ACEA E4/E6/E7/E9 JASO DH-2	Mack EO-O Premium Plus MAN M 3477 MAN M 3575 MAN M 3271-1 MB-Freigabe 228.31 MB-Freigabe 228.51 Renault VI RLD-3 Scania Low Ash Volvo VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA Iveco 18-1804 TLS E9 Iveco 18-1809 NG2 MTU Type 3.1 Voith Retarder B Volvo CNG
GÖLT SHPD Diesel 15W-40 0074-000124	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	API CI-4/SL Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 Mack EO-N MB-Freigabe 228.3 MB-Freigabe 229.1 Renault VI RLD-2 Volvo VDS-3	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071 Cummins CES 20072 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T2 E7 MAN M 3275-1 MB 228.1 MTU Type 2
GÖLT LE Diesel Performance 15W-40 0074-000123	API CK-4/SN ACEA E9 Global DHD-1 JASO DH-2	Cummins CES 20081 Mack EO-O Premium Plus MB-Freigabe 228.31 Renault VI RLD-3 Volvo VDS-4	Caterpillar ECF-2 Caterpillar ECF-3 DDC 93K218 Deutz DQC III-10 LA Ford WSS-M2C 171-F1 John Deere JDQ 78 X MAN M 3575 MTU Type 2.1

✓

Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT HD Diesel Premium 15W-40 0074-000127	API CK-4/SN ACEA E7/E9 JASO DH-2	Mack EOS-4.5 Renault VI RLD-3 Volvo VDS-4.5	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 Deutz DQC III-10 LA Ford WSS-M2C 171-E Ford WSS-M2C 171-F1 John Deere JDQ 78 X MAN M 3275 MAN M 3575 MB 228.31 MTU Type 2.1
			
GÖLT Mineral Super HD 15W-40 0074-000119	API CG-4 API SL/CF ACEA A3/B3 ACEA E2 MIL-L-2104 E	API SL MB-Freigabe 229.1	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 Mack EO-L MAN M 3275-1 MAN 271 MTU Typ 2 VOLVO VDS VW 501 01/505 00 ZF TE-ML 07C
			
GÖLT Truck Gear LongLife 75W-80 RED 0074-000177	API GL-4 MIL-L-2105	MAN 341 Typ Z4 ZF TE-ML 01L, 02L, 16K	DAF Eaton (Extended drain)/Iveco/Renault MAN 341 Typ E3 MAN 341 Typ V-R Volvo 97305 Volvo 97307 Volvo 97318
GÖLT Power Gear Long Drain 80W-90 0686	API GL-4/GL-5 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	VOLVO 97321	MAN 342 Typ M1/M2 MB 235.0 MB 235.6 Scania STO 1:0 VOLVO STD 1273.10 ZF TE-ML 05A/07A/21A/08/16B/17B/19B/16C/16D/12E

Produkte mit Freigaben

Products with approvals

Name Art.-Nr. Product name Item Nr.		Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
				
GÖLT UTTO 0074-000361		API GL-4 DIN 51524-3 (HVLP-D)	ZF TE-ML 03E/17E/05F/21F	Allison C-4 Caterpillar TO-2 CNH MAT 3506 CNH MAT 3525 CNH 410 B CNH MS 1206 CNH MS 1210 Deutz-Allis AC Power Fluid 821 XL FNHA 2-C-200.00 Ford ESN-M2C 86-B/C Ford ESN-M2C 134-D John Deere J20 C John Deere J21A Massey Ferguson CMS M1135 Massey Ferguson CMS M1141 Massey Ferguson CMS M1143 Massey Ferguson CMS M1145 Renault 180596 SDFG OT 1891 A Volvo BM WB 101 (BM Valmet, AWB Achsen) White Farm (AGCO) Q-1802 White Farm (AGCO) Q-182616 ZF TE-ML 06K, 06R, 06S



















PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
0W-16			
GÖLT Maxi Fuel Economy 0W-16 0074-000000	API SN	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Hybrid Engine Honda Ultra Next Honda Ultra Green Mitsubishi Diaqueen Eco Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Nissan KLANM-01A04 Extra Save X Eco Toyota 08880-11005
GÖLT Maxi Fuel Economy 0W-16 GREEN 0074-000001	API SN	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Hybrid Engine Honda Ultra Next Honda Ultra Green Mitsubishi Diaqueen Eco Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Nissan KLANM-01A04 Extra Save X Eco Toyota 08880-11005
GÖLT ECO SP 0W-16 0074-000003	API SP (RC) ILSAC GF-6B	-	-
GÖLT Hybrid Excellence 0W-16 0074-000002	API SP (RC) ILSAC GF-6B	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
0W-20			
GÖLT FS 0W-20 0074-000004	API SN (RC) ILSAC GF-5	-	Chrysler MS-6395 dexos1™ Gen 1 Fiat 9.55535-GSX Fiat 9.55535-CR1 Ford WSS-M2C 947-A GM 6094M
GÖLT FS Excellence LS 0W-20 0074-000005	API SN ACEA C5 ILSAC GF-5	Volvo VCC RBS0-2AE	-
GÖLT Ultimate FE 0W-20 0074-000014	API SN ACEA C5	-	-

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT DXS Premium 0W-20 0074-000008	API SN Plus API SP (RC) ILSAC GF-5 ILSAC GF-6A	API SN Plus API SP (RC) ILSAC GF-6A	Chrysler MS-6395 dexos1™ Gen 2 Fiat 9.55535-GSX Fiat 9.55535-CR1 Ford WSS-M2C 947-B1 Ford WSS-M2C 962-A GM 6094M
GÖLT Professional LongLife IV 0W-20 0074-000007	ACEA C5	VW 508 00 VW 509 00	Porsche C20
GÖLT FS Supreme 0W-20 0074-000006	API SP ACEA A1/B1 ACEA C5	MB-Freigabe 229.71	dexosD Opel/Vauxhall OV 0401547
GÖLT FE Excellence RN 0W-20 0074-000011	ACEA C5	-	Renault RN17 FE
GÖLT Premium LL-17 FE 0W-20 0074-000015	API SN Plus (RC) ACEA C5 ILSAC GF-5	-	BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS-M2C 947-B1 Jaguar Land Rover STJLR.03.5006 MB 229.71 Opel/Vauxhall OV 0401547
GÖLT Hybrid Excellence 0W-20 0074-000010	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
GÖLT LongLife IV 0W-20 0074-0000013	ACEA C5	VW 508 00 VW 509 00	Porsche C20
GÖLT WIV LL IV 0W-20 0074-000012	ACEA C5	-	Porsche C20 VW 508 00 VW 509 00
0W-30			
GÖLT HC 0W-30 0074-000016	API SL/CF ACEA A3/B4	-	BMW Longlife-01 MB 229.5 MB 229.3 Opel GM-LL-A-025 Opel GM-LL-B-025 Renault RN0700 Renault RN0710 Volvo VCC 95200356 VW 502 00 VW 505 00

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT LHC 0W-30 0074-000017	ACEA C2/C3	MB-Freigabe 229.51	BMW Longlife-04 dexos2™ MB 229.31 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00 VW 505 01
GÖLT FS 0W-30 0074-000018	API SL/CF ACEA A5/B5	-	VW 503 00 VW 506 00 VW 506 01
GÖLT LL Professional 0W-30 0074-000019	API SN ACEA C3	VW 504 00 VW 507 00	BMW Longlife-04 Fiat 9.55535-S3 MB 229.31 MB 229.51 Porsche C30
GÖLT FS 0W-30 VLV 0074-000024	API SL/CF ACEA A5/B5	VOLVO VCC 95200377	Ford WSS-M2C 920-A Renault RN0700 Renault RN0710
GÖLT FD Excellence 0W-30 0074-000021	ACEA C2	Jaguar Land Rover STJLR.03.5007	Fiat 9.55535-GS1 Fiat 9.55535-DS1 Ford WSS-M2C 950-A
GÖLT Premium LL-12 FE 0W-30 0074-000020	ACEA C2	BMW Longlife-12 FE	-
GÖLT FS Low SAPS 0W-30 0074-000025	API SN/CF ACEA C2/C3	-	BMW Longlife-04 dexos2™ MB 229.31 MB 229.51 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00 VW 505 01
GÖLT FS Premium 0W-30 0074-000026	ACEA A5/B5	-	BMW Longlife-01 FE MB 229.6
GÖLT ECO SN 0W-30 0074-000023	API SN ACEA A5/B5 ACEA C2 ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535-CR1
GÖLT Ultra LS 0W-30 0574	ACEA C1/C2 JASO DL-1	-	Jaguar Land Rover STJLR.03.5007 PSA B71 2302 PSA B71 2312

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO FD 0W-30 0074-000022	ACEA C2	-	Fiat 9.55535-DS1 Fiat 9.55535-GS1 Ford WSS-M2C 950-A Jaguar Land Rover STJLR.03.5007
GÖLT FS Super 0W-30 0713	API SL ACEA A3/B4	MB-Freigabe 229.5 Renault RN0700 Renault RN0710 VOLVO VCC 95200356 VW 502 00 VW 505 00	BMW Longlife-01 GM-LL-A-025 GM-LL-B-025
GÖLT Hybrid Excellence 0W-30 0074-000027	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
0W-40			
GÖLT FS Excellence 0W-40 0074-000028	API SN/CF ACEA A3/B4	API SN MB-Freigabe 226.5 MB-Freigabe 229.5 Porsche A40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00	BMW Longlife-01 Fiat 9.55535-M2 Fiat 9.55535-Z2 Ford WSS-M2C 937-A MB 229.3 PSA B71 2296
GÖLT FS 0W-40 0074-000029	API SN/CF ACEA A3/B4	-	BMW Longlife-01 Fiat 9.55535-M2 Ford WSS-M2C 937-A MB 226.5 MB 229.3 MB 229.5 Porsche A40 PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
GÖLT ECO ASIA C3 0W-40 0074-000032	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C 917-A MB 226.5 MB 229.31 MB 229.51 Porsche C40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 01
GÖLT FS Low SAPS 0W-40 0074-000030	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C 917-A MB 226.5 MB 229.31 MB 229.51 Porsche C40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 01

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO SN 0W-40 0074-000031	API SN	-	-
GÖLT Hybrid Excellence 0W-40 0074-000033	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
0W-50			
GÖLT FS Racing 0W-50 0074-000034	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 VW 501 01 VW 505 00
5W-16			
GÖLT Super Fuel Economy 5W-16 0074-000035	API SN	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Hybrid Engine Honda Ultra Green Honda Ultra Next Mitsubishi Diaqueen Eco Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Nissan KLANM-01A04 Extra Save X Eco Toyota 08880-11005
5W-20			
GÖLT FS Excellence FE 5W-20 0074-000036	API SN/CF ACEA A1/B1 ACEA C5 ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C 948-A Ford WSS-M2C 948-B Jaguar Land Rover STJLR.03.5004
GÖLT FS 5W-20 0074-000037	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C 930-A Ford WSS-M2C 945-A Ford WSS-M2C 960-A



PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Ultimate FE 5W-20 0074-000038	API SN (RC)/CF ACEA A1/B1 ACEA C5 ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C 912-A Ford WSS-M2C 913-A Ford WSS-M2C 913-B Ford WSS-M2C 913-C Ford WSS-M2C 925-B Ford WSS-M2C 948-A Ford WSS-M2C 948-B Jaguar Land Rover STJLR.03.5004
GÖLT DXS Premium 5W-20 0074-000040	API SP (RC) API SN Plus ILSAC GF-5 ILSAC GF-6A	API SP (RC) API SN Plus ILSAC GF-6A	Chrysler MS-6395 dexos1™ Gen 2 Ford WSS-M2C 945-B1 Ford WSS-M2C 960-A
GÖLT DXS 5W-20 0074-000041	API SP (RC) API SN Plus ILSAC GF-5 ILSAC GF-6A	-	Chrysler MS6395 dexos1™ Gen 2 Ford WSS-M2C 945-B1 Ford WSS-M2C 960-A
GÖLT Hybrid Excellence 5W-20 0074-000042	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
5W-30			
GÖLT SEMiS 5W-30 0074-000049	API SL/CF ACEA A3/B4	-	BMW Longlife-01 BMW Longlife-98 MB 229.3 MB 229.5 VW 502 00 VW 505 00
GÖLT FS Low SAPS 5W-30 0074-000043	API SN/CF ACEA C2/C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S3 Ford WSS-M2C 917-A MB 229.31 MB 229.51 MB 229.52 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00 VW 505 01
GÖLT FS WIV-Combi 5W-30 0074-000044	API SN ACEA C3	-	BMW Longlife-04 Fiat 9.55535-S3 MB 229.31 MB 229.51 Porsche C30 VW 504 00 VW 507 00

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT FS Excellence FD 5W-30 0074-000045	API SL/CF ACEA A1/B1 ACEA A5/B5	API SL Ford WSS-M2C 913-D Renault RN700	Fiat 9.55535-N1 Ford WSS-M2C 913-A Ford WSS-M2C 913-B Ford WSS-M2C 913-C Iveco 18-1811 Classe S1/S2 Jaguar Land Rover STJLR 03.5003
GÖLT FS Select 5W-30 0074-000047	API SL/CF ACEA A3/B4	MB-Freigabe 229.3 MB-Freigabe 229.5 VW 502 00 VW 505 00	BMW Longlife-01 MB 226.5 Opel GM-LL-A-025 Opel GM-LL-B-025 Renault RN0700 Renault RN0710
GÖLT FS Excellence LS Ultra 5W-30 0074-000054	ACEA C1/C2	Jaguar Land Rover STJLR.03.5005	Ford WSS-M2C 934-A Ford WSS-M2C 934-B
GÖLT FS Excellence LS-M 5W-30 0074-000048	API SN/CF ACEA C2/C3	API SN BMW Longlife-04 dexos2™ (D23502BH374) MB-Freigabe 229.31 MB-Freigabe 229.51 MB-Freigabe 229.52 VW 505 00 VW 505 01	Chrysler MS-11106 Fiat 9.55535-S3 Ford WSS-M2C 917-A Opel/Vauxhall OV 0401547 (nur Dieselmotoren) Renault RN0700 Renault RN0710 VW 502 00
GÖLT FS Dura Fusion 5W-30 0074-000051	ACEA C4	MB-Freigabe 226.51 Renault RN0720	Fiat 9.55535-S4
GÖLT Super LS Ultra 5W-30 0074-000053	API SN/SM/CF ACEA A5/B5 ACEA C2	-	Fiat 9.55535-S1 Iveco 18-1811 Classe SC1 Renault RN0700
GÖLT Excellence FDL 5W-30 0074-000056	API SN ACEA C2 ILSAC GF-5	-	Fiat 9.55535-S1 Iveco 18-1811 Classe SC1
GÖLT WIV-Multi LL 5W-30 0074-000050	API SN ACEA C3	BMW Longlife-04 MB-Freigabe 229.51 VW 504 00 VW 507 00	Fiat 9.55535-S3 MB 229.31 Porsche C30
GÖLT ECO SL 5W-30 0074-000058	API SL ACEA A5/B5	-	Ford WSS M2C 913-C Ford WSS M2C 913-D Renault RN700
GÖLT ECO Select 5W-30 0074-000059	API SL/CF ACEA A3/B4	-	BMW Longlife-01 BMW Longlife-98 MB 229.3 MB 229.5 VW 502 00 VW 505 00



PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO ASIA C3 5W-30 0074-000063	API SN/CF ACEA C3	-	Brilliance BYD Chery Daihatsu Honda Hyundai Kia Mazda Mitsubishi Nissan Subaru Suzuki Toyota
GÖLT FS Premium 5W-30 0530	API SL ACEA A1/B1 ACEA A5/B5	-	MB 229.6
GÖLT DXS Premium 5W-30 0074-000055	API SP (RC) API SN Plus ILSAC GF-5 ILSAC GF-6A	API SP (RC) API SN Plus ILSAC GF-6A	Chrysler MS-6395 dexos1™ Gen 2 Fiat 9.55535-CR1 Ford WSS-M2C 929-A Ford WSS-M2C 946-A Ford WSS-M2C 946-B1 Ford WSS-M2C 961-A GM 6094M
GÖLT ECO 5W-30 0074-000046	API SN (RC) ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C 929-A Ford WSS-M2C 946-A GM dexos1™ GM 6094M
GÖLT ECO FS Excellence FD 5W-30 0074-000064	API SL ACEA A5/B5	-	Ford WSS-M2C 913-A Ford WSS-M2C 913-B Ford WSS-M2C 913-C Ford WSS-M2C 913-D Renault RN700
GÖLT Excellence RN 5W-30 0688	ACEA C3	-	Renault RN17 Renault RN0700 Renault RN0710
GÖLT Classic LTD 5W-30 0719	API SL/CF ACEA A3/B4	-	-
GÖLT ECO FD 5W-30 0736	API SL ACEA A5/B5	-	Fiat 9.55535-N1 Ford WSS-M2C 913-C Ford WSS-M2C 913-D Renault RN0700
GÖLT ECO DXS 5W-30 0074-000065	API SN Plus (RC) API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Chrysler MS-6395 dexos1™ Gen 2 Fiat 9.55535-CR1 Ford WSS-M2C 929-A Ford WSS-M2C 961-A Ford WSS-M2C 946-A Ford WSS-M2C 946-B1 GM 6094M
GÖLT Hybrid Excellence 5W-30 0074-000061	API SP (RC) ILSAC GF-5 ILSAC GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT WIV-Multi Supreme 5W-30 0074-000062	API SP ACEA C3	BMW Longlife-04 MB-Freigabe 229.51 MB-Freigabe 229.52 VW 504 00/507 00	MB 229.31 Porsche C30
5W-40			
GÖLT FS 5W-40 0074-000073	API SN/CF ACEA A3/B4	MB-Freigabe 229.3	BMW Longlife-98 Fiat 9.55535-H2 Fiat 9.55535-M2 Fiat 9.55535-N2 Opel GM-LL-B-025 Porsche A40 ab Modeljahr 1973 (außer Cayenne V6) PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
GÖLT HC Synth. 5W-40 LS UN 0074-000074	API SN/CF ACEA C3	API SN MB-Freigabe 229.31 MB-Freigabe 229.51 Renault RN0700 Renault RN0710 VW 505 00 VW 505 01	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Fiat 9.55535-GH2 Ford WSS-M2C 917-A MB 226.5 Porsche A40 VW 502 00
GÖLT FS Elite 5W-40 0074-000075	API SN/CF ACEA A3/B4	API SN MB-Freigabe 229.5	BMW Longlife-01 Chrysler MS-10725 Chrysler MS-12991 Fiat 9.55535-H2 Fiat 9.55535-M2 Fiat 9.55535-N2 Fiat 9.55535-Z2 MB 226.5 MB 229.3 Opel GM-LL-B-025 Porsche A40 PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
GÖLT FS Dura Fusion 5W-40 0074-000081	ACEA C4	-	MB 226.51 MB 229.51 Renault RN0720
GÖLT ECO SL 5W-40 0074-000076	API SL/CF ACEA A3/B4	-	MB 229.1 VW 501 01 VW 505 00



PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO ASIA C3 5W-40 0498	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C 917-A MB 226.5 MB 229.31 MB 229.51 Porsche C40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 01
GÖLT FS Low SAPS 5W-40 0074-000080	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C 917-A MB 226.5 MB 229.31 MB 229.51 Porsche A40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00 VW 505 01
GÖLT ECO SN 5W-40 0074-000077	API SN ACEA A3/B4	-	MB 229.5 MB 229.3 VW 502 00 VW 505 00
GÖLT LTD SN 5W-40 0603	API SN/CF ACEA A3/B4	-	BMW Longlife-01 GM LL-B-025 MB 229.3 Porsche A40 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00
5W-50			
GÖLT FS Racing 5W-50 0074-000083	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 Porsche A40 VW 501 01 VW 505 00
GÖLT Racing Premium Line 5W-50 0371	API SN/SM/CF ACEA A3/B4	-	-
10W-30			
GÖLT Semi Synth. 10W-30 0074-000084	API SN/SM ILSAC GF-5	-	Chrysler MS-6395 Daewoo Daihatsu Fiat 9.55535-CR1 GM 6094M Honda Hyundai Isuzu Kia Mazda Mitsubishi Nissan SsangYong Subaru Suzuki Toyota
GÖLT FS 10W-30 0074-000090	API SL/CF ACEA A3/B4	-	BMW Special Oil MB 229.1 MB 229.3 VW 501 01 VW 502 00 VW 505 00

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO SN 10W-30 0074-000096	API SN/CF ACEA C2	-	-
GÖLT ECO M 10W-30 0074-000094	API SN/CF ACEA A3/B4	-	MB 229.1
10W-40			
GÖLT Mineral 10W-40 0074-000097	API SF/CD	-	-
GÖLT Mineral Turbo 10W-40 0074-000098	API CH-4 API SL/CF ACEA A3/B4 ACEA E2	-	Cummins CES 20071 Deutz DQC II-10 Mack EO-M MAN 271 MB 228.1 MB 229.1 MTU Type 1 Volvo VDS VW 501 01 VW 505 00
GÖLT Semi Synth. 10W-40 0074-000099	API SM/CF ACEA A3/B4	MB-Freigabe 229.1	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 PSA B71 2294 VW 501 01 VW 505 00
GÖLT FS 10W-40 0074-000101	API SL/CF ACEA A3/B4	-	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 MB 229.1 PSA B71 2294 VW 500 00 VW 501 01 VW 502 00 VW 505 00
GÖLT FS Excellence HP 10W-40 0074-000112	API SN/CF ACEA A3/B4	MB-Freigabe 229.3	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 Lada-Avtovaz MB 226.5 PSA B71 2294 PSA B71 2300 Renault RN0700 Renault RN0710 VW 501 01 VW 502 00 VW 505 00
GÖLT ECO SL 10W-40 0074-000103	API SL/CF ACEA A3/B4	-	MB 229.1 VW 501 01 VW 505 00

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Semi Synth. GAS/LPG 10W-40 0074-000104	API SL/CF ACEA A3/B4	-	MB 229.1 VW 501 01 VW 505 00
GÖLT ECO SN 10W-40 0074-000100	API SN/CF	-	-
GÖLT ECO M 10W-40 0074-000115	API SN/CF ACEA A3/B4	-	MB 229.1
GÖLT Premium HC Synth 10W-40 0813	API SL/CF ACEA A3/B4	-	MB 229.1 VW 501 01 VW 505 00
10W-50			
GÖLT FS Racing 10W-50 0074-000116	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 VW 501 00 VW 505 00
GÖLT Racing Premium Line 10W-50 0517	API SN/SM/CF ACEA A3/B4	-	-
10W-60			
GÖLT Racing Ultimate 10W-60 0074-000117	API SN/CF ACEA A3/B4	-	-
GÖLT FS Racing 10W-60 0074-000118	API SN/CF ACEA A3/B4	-	BMW M Series Fiat 9.55535-H3 MB 229.1 VW 501 00 VW 505 00
15W-40			
GÖLT Extra 15W-40 0074-000122	API SL/CF ACEA A3/B4	-	Fiat 9.55535-D2 Fiat 9.55535-G2 MB 229.1 VW 501 01 VW 505 00

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO SN 15W-40 0074-000131	API SN	-	-
GÖLT ECO M 15W-40 0074-000133	API SN ACEA A3/B4	-	MB 229.1
15W-50			
GÖLT Racing 15W-50 0074-000135	API SN/CF ACEA A3/B4	-	MB 229.1
GÖLT FS Racing 15W-50 0074-000137	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 PSA B71 2294 PSA B71 2300 VW 501 01 VW 505 00
GÖLT Racing Premium Line 15W-50 0518	API SN/SM/CF ACEA A3/B4	-	-
20W-50			
GÖLT Classic SAE 20W-50 API SC 0074-000148	API SC	-	-
GÖLT Classic SAE 20W-50 API SE 0074-000149	API SE	-	-
GÖLT FS 20W-50 0074-000144	API SN/CF ACEA A3/B4	-	MB 229.1 VW 501 01 VW 505 00
GÖLT ECO M 20W-50 0074-000152	API SN ACEA A3/B4	-	-
GÖLT ECO SL 20W-50 0074-000151	API SL/CF	-	-

✓

PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
Einbereichsöle <i>Single grade oils</i>			
GÖLT Classic SAE 30 API SA 0075-000168	API SA	-	-
GÖLT Classic SAE 30 API SB 0018	API SB	-	-
GÖLT Classic SAE 40 API SA 0075-000169	API SA	-	-
GÖLT Classic SAE 40 API SB 0075-000171	API SB	-	-
GÖLT Classic SAE 50 API SA 0075-000170	API SA	-	-
GÖLT Classic SAE 50 API SB 0075-000172	API SB	-	-



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. <i>Product name Item Nr.</i>		Spezifikationen <i>Specifications</i>	Freigaben <i>Approvals</i>	Empfehlungen <i>Recommendations</i>
5W-30				
GÖLT Ultra Low SAPS HD 5W-30 0074-000068	API CJ-4 ACEA E4/E6/E7/E9	Mack EO-O Premium Plus MAN M 3271-1 MAN M 3477 MAN M 3575 MAN M 3677 MB-Freigabe 228.31 MB-Freigabe 228.51 Renault VI RLD-3 Volvo VDS-4		Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA Iveco 18-1804 TLS E6 MAN M 3691 MB 235.28 MTU Type 3.1 MTU Type 2.1 Scania LDF-4 Scania Low Ash Voith Retarder B Volvo CNG
GÖLT Universal Performance 5W-30 0074-000066	API CK-4/SN ACEA E6/E7/E9 JASO DH-2		-	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DAF Extended Drain DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA Deutz DQC IV-18 LA Iveco Mack EOS-4.5 Mack EO-N Plus Mack EO-O Premium Plus MAN M 3677 MAN M 3477 MAN M 3277 MAN M 3271-1 MB 226.9 MB 228.31 MB 228.51 MTU Type 3.1 Renault VI RLD-4 Renault VI RGD Scania LDF-4 Voith Retarder Class B Volvo VDS-4 Volvo VDS-4.5
GÖLT Ultra USHPD 5W-30 0074-000067	API CI-4/CF ACEA E4/E7 Global DHD-1 JASO DH-1		-	Caterpillar ECF-2 Cummins CES 20076 Cummins CES 20078 DAF Deutz DQC IV-10 Ford WSS-M2C 212-A1 Iveco 18-1804 TFE Mack EO-M Plus Mack EO-N MAN M 3277 MAN M 3377 MB 228.5 MB 235.28 MTU Type 3 Renault VI RLD-2 Renault VI RXD Scania LDF-3 Voith Retarder B Volvo VDS-3
GÖLT Premium UHPD 5W-30 0074-000069	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1		-	Caterpillar ECF-2 Cummins CES 20076 Cummins CES 20078 Deutz DQC IV-10 Mack EO-M Plus Mack EO-N MAN 3277 MAN 3377 MB 228.5 MTU Type 3 Renault VI RLD-2 Renault VI RXD Scania LDF Volvo VDS-3
GÖLT HD Diesel Supreme 5W-30 0074-000071	API FA-4/SN		API FA-4/SN	Cummins CES 20087 DDC 93K223 MB 228.61



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Low SAPS HD Supreme 5W-30 0074-000072	API CK-4/SN ACEA E6/E7/E9 JASO DH-2	Deutz DQC IV-18 LA MAN M 3677 MB-Freigabe 228.51 Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5 MTU Typ 3.1 * Scania Low Ash * * Freigaben werden/wurden beantragt (Stand 06/2021) * Approvals are/have been requested (as of 06/2021)	Caterpillar ECF-3 Cummins CES 20086 DDC 93K222 Ford WSS-M2C 213-A MAN M 3271-1 MAN M 3477 MAN M 3775 MB 228.31 MB 228.52
GÖLT ECO HD 5W-30 0074-000070	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar EFC-2 Cummins CES 20071 Cummins CES 20072 Cummins CES 20076 Cummins CES 20078 DDC 93K215 Deutz DQC III-10 Mack EO-N Mack EO-M Plus MAN 3275-1 MB 228.1 MB 228.3 MB 228.5 MB 229.1 MB 235.28 MTU Type 2 Renault VI RLD-2 Volvo VDS-3
5W-40			
GÖLT Heavy Duty FS 5W-40 0074-000078	API CJ-4 API SM ACEA E7/E9	-	Caterpillar ECF-2 Caterpillar ECF-3 Chrysler MS-10902 Cummins CES 20081 DDC 93K214 DDC 93K215 DDC 93K218 Deutz DQC II-10 LA Ford WSS-M2C 171-F1 Mack EO-O Premium Plus MAN M 3275 MAN M 3575 MB 228.31 MTU Type 1 MTU Type 2 Renault VI RLD-3 Volvo VDS-4
GÖLT ECO Elite 5W-40 0572	API SN/CF ACEA A3/B4	-	BMW Longlife-01 Chrysler MS-10725 Chrysler MS-12991 Fiat 9.55535-H2 Fiat 9.55535-M2 Fiat 9.55535-N2 Fiat 9.55535-Z2 MB 226.5 MB 229.3 MB 229.5 Opel GM-LL-B-025 Porsche A40 PSA B71 2296 Renault RN0700 Renault RN0710 VW 502 00 VW 505 00



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO HC PT 5W-40 0812	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	-	Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T3 E4 MAN 3277 MB 228.5 Mack EO-M Plus Mack EO-N Renault VI RLD-2 Renault VI RXD Scania LDF-3 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Volvo VDS-3 Zetor
10W-30			
GÖLT SHPD 10W-30 0074-000087	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Caterpillar ECF-2 Cummins CES 20071 Cummins CES 20072 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DAF DDC 93K215 Deutz DQC III-10 Mack EO-N MAN M 3275-1 MB 228.3 MTU Type 2 Renault VI RLD-2 Volvo VDS-3
GÖLT Mid SAPS SHPD 10W-30 0074-000089	API SN API CK-4/CF ACEA E9	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA Ford WSS-M2C 171-F1 Mack EO-O Premium Plus MAN M 3575 MB 228.31 MTU Type 2.1 Renault VI RLD-3 Volvo VDS-4
GÖLT Euro 6 Diesel 10W-30 0074-000086	API CI-4 ACEA E6/E7 JASO DH-2	-	Cummins CES 20076 Cummins CES 20077 DAF Deutz DQC IV-10 LA Mack EO-N MAN M 3271-1 MAN M 3477 MB 226.9 MB 228.51 MTU Type 3.1 Renault VI RLD-2 Renault VI RGD Renault VI RXD Volvo VDS-3
GÖLT Diesel Super 10W-30 0074-000088	API CF-4 ACEA E2	-	Allison C-4 Caterpillar TO-2 MAN 271 MB 228.1 MTU Type 2 Volvo VDS VW 505 00
GÖLT Low SAPS HD Supreme 10W-30 0074-000091	API CK-4/SN ACEA E6/E7/E9	API CK-4 Mack EOS-4.5 MB-Freigabe 228.51 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA MAN M 3271-1 MAN M 3775 MAN M 3677 MAN M 3477 MTU Typ 3.1 Scania Low Ash



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT HD Diesel Supreme 10W-30 0074-000092	API SN/FA-4	-	Cummins CES 20087 DDC 93K223 MB 228.61
GÖLT Universal Performance 10W-30 0074-000093	API CK-4/SN ACEA E6/E7/E9	-	Caterpillar ECF-1 Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA Mack EOS-4.5 MAN M 3477 MAN M 3575 MAN M 3275 MB 228.31 MB 228.51 MTU Type 3.1 Renault VI RLD-4 Volvo VDS-4 Volvo VDS-4.5
GÖLT Low Emission Diesel 10W-30 0074-000095	API CK-4/SN ACEA E6/E7/E9	-	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA Mack EOS-4.5 MAN M 3477 MB 228.51 MTU Type 3.1 Renault VI RLD-4 Volvo VDS-4.5

10W-40

GÖLT Low Emission Diesel 10W-40 0074-000108	API SN/CF API CJ-4 ACEA E6/E7/E9 Global DHD-1 JASO DH-2	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA Iveco 18-1804 TLS E9 Mack EO-O Premium Plus MAN M 3575 MB 228.31 MTU Type 2.1 Renault VI RLD-3 Volvo VDS-4
GÖLT HC SHPD Diesel 10W-40 0074-000102	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	API CI-4 Cummins CES 20077 Cummins CES 20078 Mack EO-N MB-Freigabe 228.3 MB-Freigabe 229.1 Renault VI RLD-2 Volvo VDS-3	Allison C-4 Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20076 DAF DDC 93K215 Deutz DQC III-10 MAN M 3275-1 MB 235.28 MTU Type 2 Voith Retarder B VW 500 00 VW 501 01 VW 505 00
GÖLT HC PT Diesel 10W-40 0074-000105	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	API CI-4 Cummins CES 20077 Cummins CES 20078 Deutz DQC III-10 Mack EO-N MAN M 3277 MB-Freigabe 228.5 MTU Type 3 Renault VI RLD-2 Volvo VDS-3	Cummins CES 20076 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Iveco 18-1804 T3 E4 Renault VI RXD Scania LDF-2 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Zetor

✓

LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Universal UHPD 10W-40 0074-000107	API CI-4 ACEA E6/E7/E9 JASO DH-2	API CI-4 Deutz DQC IV-10 LA Mack EO-N MAN M 3477 MB-Freigabe 228.51 MTU Type 3.1 Renault VI RLD-2 Volvo VDS-3	Caterpillar ECF-2 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DAF HP-2 MAN M 3271-1 MAN M 3277 Renault VI RGD Renault VI RXD Scania Low Ash
GÖLT Low SAPS HD Premium 10W-40 0074-000110	API CK-4/SN ACEA E6/E7/E9 JASO DH-2	API CK-4 Deutz DQC IV-10 LA Mack EOS-4.5 MB-Freigabe 228.51 Renault VI RLD-3 Volvo VDS-4.5	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 MAN M 3477 MTU Type 3.1
GÖLT Ultra LS HD 10W-40 0074-000111	API CJ-4 ACEA E4/E6/E7/E9 JASO DH-2	Mack EO-O Premium Plus MAN M 3271-1 MAN M 3477 MAN M 3575 MB-Freigabe 228.31 MB-Freigabe 228.51 Renault VI RLD-3 Scania Low Ash Volvo VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA Iveco 18-1804 TLS E9 Iveco 18-1809 NG2 MTU Type 3.1 Voith Retarder B Volvo CNG
GÖLT Universal Performance 10W-40 0074-000114	API CK-4/SN ACEA E6/E7/E9 JASO DH-2	-	Caterpillar ECF-1 Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DAF HP-2 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA Iveco 18-1804 TLS E9 Mack EOS-4.5 MAN M 3477 MAN M 3575 MAN M 3275 MB 228.31 MB 228.51 MTU Type 3.1 Renault VI RLD-4 Scania Low Ash Volvo VDS-4 Volvo VDS-4.5
GÖLT ECO Universal UHPD 10W-40 0074-000109	API CI-4 ACEA E6/E7/E9 JASO DH-2	-	Caterpillar ECF-2 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DAF HP-2 Deutz DQC-IV-10 LA Mack EO-N MAN M 3277 MAN M 3271-1 MAN M 3477 MB 226.9 MB 228.51 MTU Type 3.1 Renault VI RLD-2 Renault VI RXD Renault VI RGD Scania Low Ash Volvo VDS-3
GÖLT ECO HC PT 10W-40 0074-000106	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	-	Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T3 E4 Mack EO-N MAN M3277 MB 228.5 MTU Type 3 Renault VI RLD-2 Renault VI RXD Scania LDF-3 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Volvo VDS-3 Zetor



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO HD 10W-40 0074-000113	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DAF DDC 93K215 Deutz DQC III-10 Mack EO-N MAN M 3275-1 MB 228.3 MB 229.1 MB 235.28 MTU Type 2 Renault VI RLD-2 Voith Retarder B Volvo VDS-3 VW 500 00 VW 501 01 VW 505 00
15W-40			
GÖLT SHPD Diesel 15W-40 0074-000124	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	API CI-4/SL Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 Mack EO-N MB-Freigabe 228.3 MB-Freigabe 229.1 Renault VI RLD-2 Volvo VDS-3	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071 Cummins CES 20072 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T2 E7 MAN M 3275-1 MB 228.1 MTU Type 2
GÖLT LE Diesel Performance 15W-40 0074-000123	API CK-4/SN ACEA E9 Global DHD-1 JASO DH-2	Cummins CES 20081 Mack EO-O Premium Plus MB-Freigabe 228.31 Renault VI RLD-3 Volvo VDS-4	Caterpillar ECF-2 Caterpillar ECF-3 DDC 93K218 Deutz DQC III-10 LA Ford WSS-M2C 171-F1 John Deere JDQ 78 X MAN M 3575 MTU Type 2.1
GÖLT HSS SHPD 15W-40 0074-000126	API CI-4/SL ACEA E7	-	Deutz DQC-III-10 Mack EO-N MAN M3275-1 MB 228.3 MTU Type 2 Renault VI RLD-2 Volvo VDS-3
GÖLT HD Diesel Premium 15W-40 0074-000127	API CK-4/SN ACEA E7/E9 JASO DH-2	Mack EOS-4.5 Renault VI RLD-3 Volvo VDS-4.5	Caterpillar ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 DDC 93K222 Deutz DQC III-10 LA Ford WSS-M2C 171-E Ford WSS-M2C 171-F1 John Deere JDQ 78 X MAN M 3275 MAN M 3575 MB 228.31 MTU Type 2.1
GÖLT Universal Performance 15W-40 0074-000129	API CK-4/SN ACEA E6/E7/E9 Global DHD-1 JASO DH-2	-	Caterpillar ECF-1 Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA Ford WSS-M2C 171-E Ford WSS-M2C 171-F1 Mack EO-O Premium Plus MAN M 3575 MAN M 3275 MB 228.31 MB 228.51 MTU Type 2.1 Renault VI RLD-3 Volvo VDS-4

LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Low Emission Diesel 15W-40 0074-000130	API SN API CJ-4 ACEA E7/E9 Global DHD-1 JASO DH-2	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA Iveco 18-1804 TLS E9 Mack EO-O Premium Plus MAN M 3575 MB 228.31 MTU Type 2.1 Renault VI RLD-3 Volvo VDS-4
GÖLT ECO HD 15W-40 0074-000125	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071 Cummins CES 20072 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T2 E7 Mack EO-N MAN 3275-1 MB 228.1 MB 228.3 MB 229.1 MTU Type 2 Renault VI RLD-2 Volvo VDS-3
GÖLT Super Truck 15W-40 0770	API CF-4/SG ACEA E2/B4 MIL-L-2104 E MIL-L-46152 E	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 Mack EO-K MAN 271 MB 228.1 MB 229.1 MB 235.12 VOLVO VDS ZF TE-ML 04C/07C/07D/03K/04P
GÖLT ECO HD M 15W-40 0074-000132	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071 Cummins CES 20072 Cummins CES 20076 Cummins CES 20077 Cummins CES 20078 DDC 93K215 Deutz DQC III-10 Iveco 18-1804 T2 E7 Mack EO-N MAN 3275-1 MB 228.1 MB 228.3 MB 229.1 MTU Type 2 Renault VI RLD-2 Volvo VDS-3
15W-50			
GÖLT SHPD 15W-50 0074-000138	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 DDC 93K215 MAN 3275-1 MB 228.3 MB 229.1



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
20W-20			
GÖLT Super Truck 20W-20 0074-000140	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 MAN 270 MB 228.0 MB 235.27 Voith Retarder A ZF TE-ML 03A, 03C, 06A, 07D
20W-50			
GÖLT HSS SHPD 20W-50 0074-000147	API CL-4/SL	-	-
GÖLT SHPD 20W-50 0074-000145	API CI-4 API SL/CF ACEA A3/B4 ACEA E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 DDC 93K215 MB 228.3 MB 229.1
GÖLT Super Truck 20W-50 0074-000153	API CF-4/SG ACEA E2/B4	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MAN 271 MB 228.1
25W-50			
GÖLT HSS SHPD 25W-50 0074-000155	API CI-4/SL	-	-
Einbereichsöle <i>Single grade oils</i>			
GÖLT Mineral Super 30 0075-000157	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Super Truck 30 0075-000163	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MAN 270 MB 228.0 MTU Type 1 ZF TE-ML 03A/04B/02C/03C/07F/02H
GÖLT Super Truck Turbo 40 0075-000166	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 MAN 270 MAN M 3275-2 MB 228.2 MTU Type 2 Volvo VDS
GÖLT Mineral Super 40 0075-000158	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
GÖLT Super Truck 40 0075-000164	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MAN 270 MB 228.0 MB 235.12 MTU Type 1 ZF TE-ML 04A/04B/02H
GÖLT Mineral Super 50 0075-000159	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
GÖLT Super Truck Turbo 50 0075-000167	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 MAN 270 MAN M 3275-2 MB 228.2 MTU Type 2 Volvo VDS
GÖLT Super Truck 50 0075-000165	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MB 228.0 ZF TE-ML 04B, 04E



LKW Motorenöle

Heavy duty engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Mineral Super 60 0075-000160	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
GÖLT Super Truck Turbo 60 0099	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 MAN 270 MAN M 3275-2 MB 228.2 MTU Type 2 Volvo VDS
GÖLT Super Truck 60 0535	API CF-4/SG ACEA B4/E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MB 228.0 ZF TE-ML 04B, 04E
GÖLT Mineral Super 70 0075-000161	API CF/SF CCMC G4/D4/PD2 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
GÖLT Mineral Super 10W 0075-000156	API SF/CD CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0 MB 235.27 Voith Retarder A
GÖLT Super Truck 10W 0075-000162	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 MAN 270 MB 228.0 MB 235.27 Voith Retarder A ZF TE-ML 03B, 03C, 04B, 05K



Gemischter Fuhrpark

Mixed fleet

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
10W-30			
GÖLT Mineral Standard 10W-30 0074-000085	API SF/CD ACEA A2/B2 CCMC G4/D4/PD2 MIL-L-2104 D MIL-L-46152 B	-	MB 227.1
15W-40			
GÖLT Mineral Super HD 15W-40 0074-000119	API CG-4 API SL/CF ACEA A3/B3 ACEA E2 MIL-L-2104 E	API SL MB-Freigabe 229.1	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 Mack EO-L MAN M 3275-1 MAN 271 MTU Typ 2 VOLVO VDS VW 501 01/505 00 ZF TE-ML 07C
GÖLT Mineral 15W-40 0074-000121	API SF/CD	-	-
GÖLT Mineral Super 15W-40 0074-000120	API SF/CD ACEA A2/B2 MIL-L-2104 D MIL-L-46152 B	-	MB 227.1
15W-50			
GÖLT Mineral Super 15W-50 0074-000136	API SF/CD	-	-

Gemischter Fuhrpark

Mixed fleet

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
20W-20			
GÖLT Mineral Super 20W-20 0074-000139	API SF/CD CCMC G4 MIL-L-2104 D MIL-L-46152 B	-	MB 227.0 MB 228.0 MB 235.27 Voith Retarder A
20W-40			
GÖLT Mineral Super 20W-40 0074-000141	API SF/CC CCMC G2-D1 MIL-L-46152 C	-	-
20W-50			
GÖLT Mineral Turbo 20W-50 0074-000142	API CH-4 API SL/CF ACEA A3/B4 ACEA E2	-	Cummins CES 20071 Deutz DQC II-10 Mack EO-M MAN 271 MB 228.1 MB 229.1 MTU Type 1 Volvo VDS VW 501 01 VW 505 00
GÖLT Mineral Extra 20W-50 0074-000143	API SF/CD ACEA A2/B2 CCMC G4/D4/PD2 MIL-L-2104 D MIL-L-46152 B	-	MB 227.1
GÖLT Ultra 20W-50 0074-000150	API SL JASO MA2	-	-



Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
Automatikgetriebeöle Automatic transmission oils			
GÖLT Dexron D II RED 0074-000211	GM DEXRON® D II Ford MERCON®	-	Caterpillar TO-2 Ford ESP-M2C 166-H Ford WSS-M2C 185-A Ford SQM-2C 9010-B Ford WSS-M2C 138-CJ MAN 339 Typ Z1 MB 236.6 MB 236.7 Renk Doromat Voith 55.6335.xx ZF TE-ML 03D, 04D, 11A, 14A, 17C, 05L
GÖLT FS Dexron II E RED 0074-000213	GM DEXRON® II E Ford MERCON®	-	Allison C-4 Caterpillar TO-2 MAN 339 Typ Z-2 MAN 339 Typ V-2 MB 236.5 MB 236.8 Voith 55.6336.3x Extended Drain (G1363) ZF TE-ML 04D, 09X, 14B, 16L
GÖLT Dexron III H COLORLESS 0074-000205	GM DEXRON® III H Ford MERCON®	-	Allison C-4 Allison TES-389 BMW 83 22 9 407 807 BMW 83 22 9 407 858 Caterpillar TO-2 Ford WSS-M2C 138-CJ Ford ESP-M2C 166-H MAN 339 Typ L1/V1/Z1 MAN 339 Typ V2/Z2 MB 236.1 MB 236.2 MB 236.6 MB 236.7 MB 236.9 MB 236.10 Voith H 55.6336.3x Extended Drain (G1363) Voith H 55.6335 VOLVO 1161521 VOLVO 1161511 VOLVO 97340 VOLVO 97341 ZF TE-ML 09A/14A/09B/11B/17C/03D/04D/02F
GÖLT Dexron III H RED 0074-000206	GM DEXRON® III H Ford MERCON®	-	Allison C-4 Allison TES-389 BMW 83 22 9 407 807 BMW 83 22 9 407 858 Caterpillar TO-2 Ford WSS-M2C 138-CJ Ford ESP-M2C 166-H MAN 339 Typ L1/V1/Z1 MAN 339 Typ V2/Z2 MB 236.1 MB 236.2 MB 236.6 MB 236.7 MB 236.9 MB 236.10 Voith H 55.6336.3x Extended Drain (G1363) Voith H 55.6335 VOLVO 1161521 VOLVO 1161511 VOLVO 97340 VOLVO 97341 ZF TE-ML 09A/14A/09B/11B/17C/03D/04D/02F
GÖLT Dexron III G COLORLESS 0074-000208	GM Dexron® III G Ford MERCON®	-	Allison C-4 Caterpillar TO-2 Ford M2C 195-A MAN 339 Typ Z-1/V-1 MB 236.1 MB 236.5 Voith 55.6335.XX (G607) ZF TE-ML 02F, 03D, 04D, 09, 11B, 14A, 17C
GÖLT Dexron III G RED 0074-000209	GM DEXRON® III G Ford MERCON®	-	Ford WSA-M2C 195-A MAN 339 Typ Z-1 MAN 339 V-1 MB 236.1 MB 236.5 Voith H55.6335.XX (G607) ZF TE-ML 02F, 03D, 04D, 09, 11B, 14A, 17C

✓

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF DX VI COLORLESS 0074-000218	GM DEXRON®-VI Aisin Warner AW-1	-	ATF Type 3.0, ATF Type 3.1 BMW/Mini ATF 3+ Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ, Toyota WS VOLVO 97342 AT102 VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2, VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6
GÖLT ATF DX VI RED 0074-000219	GM DEXRON®-VI Aisin Warner AW-1	-	ATF Type 3.0, ATF Type 3.1 BMW/Mini ATF 3+ Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ, Toyota WS VOLVO 97342 AT102 VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2, VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6
GÖLT ATF 5/4 HP 0074-000240	-	-	Alfa Romeo 20HP 14891900 BMW 83 22 9 407 765 BMW 83 22 9 407 807 BMW ATF LA 2634 BMW ATF LT 71141 Jaguar JLM 20237 Land Rover STC 4863 MB A001 989 22 03 Peugeot/Citroën AL4 PR 9736.22 Porsche 999.917.547.00 Renault DP0 VW G 052 162 (A1, A2, A6) VW TL 52 162 ZF S671 090 170
GÖLT ATF 6HP 0074-000239	-	-	AML 4G4319A509/AA/S Audi/VW G 055 005 A1/A2/A6 Bentley PY112995PA BMW 83 22 0 142 516 BMW 83 22 2 305 396 Hyundai/Kia 040000C90SG Jaguar C2C 8432 Land Rover TYK500050 Maserati 231603 VOLVO 97342 AT102

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF 8HP Fluid RED 0074-000222	Aisin Warner AW-1 Aisin Warner JWS 3324 JASO 1A LV	-	Audi G 055 005 Audi G 055 162 Audi G 052 540 BMW 83 22 0 142 516 BMW 83 22 2 152 426 DSIH 6p805 (Geely, Ssangyong,Mahindra 6sp) Honda DW-1 Hyundai/Kia NWS 9638 T-5 Hyundai/Kia SP-IV/SPH-IV/SP-IV RR MB 236.12 MB 236.14 MB 236.41 Mitsubishi ATF-J3/ATF-PA Mitsubishi SP-IV Nissan Matic-S Nissan Matic-W Saab 93 165 147 Toyota WS (JWS 3324) Volvo 6 speed MY2011-2013 (P/N 31256675) Volvo 6 speed MY2011-2013 (P/N 31256774) VW G 052 540 VW G 055 005 VW G 055 162 VW G 055 540 A2 VW G 060 162 ZF Lifeguard Fluid 8
GÖLT ATF 8HP Fluid GREEN 0074-000221	JASO 1-A-LV Aisin Warner AW-1	-	BMW 83 22 0 142 516 BMW 83 22 2 152 426 DSIH 6P805 Honda DW-1 Hyundai NWS-9638 Hyundai/Kia SPH-IV Hyundai/Kia SP-IV Hyundai/Kia SP-IV RR MB 236.12 MB 236.14 MB 236.41 Mitsubishi ATF-J3 Mitsubishi Diaqueen ATF-PA Mitsubishi SP-IV Nissan Matic-S Nissan Matic-W Saab 93 165 147 Toyota WS Volvo 6 speed MY 2011-2013 (P/N 31256774 or 312566) Volvo 6 speed MY 2011-2013 (P/N 31256774 or 31256675) VW G 052 540 VW G 055 005 VW G 055 162 VW G 055 540 (A2) VW G 060 162 ZF Lifeguard Fluid 8
GÖLT ATF 8HP PLUS 0074-000223	-	-	Audi/VW G 055 005 A1 / A2 / A6 Audi/VW G 055 162 A2 / A6 Audi/VW G 055 540 A2 Audi/VW G 060 162 A1 / A2 / A6 Bentley PY112995PA BMW 83 22 0 142 516 BMW 83 22 2 152 426 BMW 83 22 2 305 397 BMW ATF 3+ BMW 83 22 2 289 720 Chrysler 68157995AA Fiat 9.55550-AV5 Honda ATF Type 3.1 Hyundai 040000C90SG Jaguar 02JDE 26444, Fluid 8432 Land Rover LR023288 Land Rover LR232289 Land Rover TYK500050 Maserati 231603 Mopar 68157995AA ZF S671 090 255 (ZF LifeguardFluid 6) ZF S671 090 312 (ZF LifeguardFluid 8) ZF TE-ML 11 (Produktgruppe 6HP und 8HP)



Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF SP-IV RR COLORLESS 0074-000246	-	-	Hyundai EQUUS Hyundai GENESIS Hyundai GENESIS Coupe KIA MOHAVE KIA QUORIS
GÖLT ATF SP-IV RR RED 0074-000247	-	-	Hyundai 04500-00117 Hyundai EQUUS Hyundai GENESIS Hyundai GENESIS Coupe Kia MOHAVE Kia QUORIS
GÖLT ATF T-IV RED 0074-000253	ATF Aisin Warner Automatic Gearbox	-	Altima, Maxima, Quest, Sentra, Matic K BMW 83 22 0 402 413 für MINI 6-Speed Aisin F21 BMW 83 22 7 542 290 für MINI 6-Speed Aisin F21 ESSO JWS3317 Fiat 9.55550-AV1 Ford 1327936 Ford WSS-M2C 924-A Ford XT-8QAW GM 9986195 ISSAN 999MP-MTK00P für RE5F22A (Aisin AW55-50SN) Land Rover LR002748 6-Speed Aisin F21 Mazda K020-W0-049 Opel/GM 1940771 Renault 7711172225 für SU0 und SU1 Renault 7711218368 SU1 Gear Suzuki 99000-22800-001 TOYOTA JWS 3309, 08886-81016, 00279-000T4 Toyota JWS 3309, 08886-01705 Volvo 1161540 VW/AUDI G 055 025 A2
GÖLT ATF 3309 0074-000231	Aisin Warner JWS 3309	-	-
GÖLT ATF M-9-FE COLORLESS 0074-000232	-	-	ATF 134 FE ATF 134 ME ATF 7134 FE MB 236.15 MB A001 989 78 03 MB A001 989 77 03
GÖLT ATF M-9-FE Serie RED 0074-000234	-	-	ATF 134 FE ATF 134 ME ATF 7134 FE MB 236.15 MB A001 989 78 03 MB A001 989 77 03
GÖLT ATF M-9-FE Serie BLUE 0074-000233	-	-	ATF 134 FE ATF 134 ME ATF 7134 FE MB 236.15 MB A001 989 78 03 MB A001 989 77 03



Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF PRO 9-FE RED 0074-000241	-	-	ATF 134 FE ATF 134 ME ATF 7134 FE MB 236.15 MB A001 989 78 03 MB A001 989 77 03
GÖLT ATF MB-9 COLORLESS 0074-000235	Aisin Warner JWS 3309 JASO 1-A	-	BMW 5 Series BMW 7045E (3 Series) BMW LA 2634 BMW LT 71141 Ford FNR5 Ford XL-12 Transfer Case GM AutoTrak II Transfer Case Honda ATF Z-1 Hyundai/Kia JWS 3314 Hyundai/Kia JWS 3317 Hyundai/Kia SP-II Hyundai/Kia SP-III Idemitsu K17 Kia Red-1 Mazda ATF-M III Mazda ATF-MV MB 236.11 MB 236.10 MB 236.9 MB 236.81 MB 236.2 MB 236.1 236.14 MB 236.7 MB 236.6 MB 236.5 MB 236.3 Mitsubishi Diaqueen ATF-J3 Mitsubishi SP-II Mitsubishi SP-III MOPAR AS68RC Nissan 402 Nissan Matic-D Nissan Matic-J Nissan Matic-K PSA AL-4 Renault DP0 Subaru ATF Subaru ATF-HP Suzuki 3314 Suzuki 3317 Texaco ETL-7045E Texaco ETL-8072B Texaco N402 Toyota T Toyota T-II Toyota T-III Toyota T-IV Volvo 1161540 Volvo 1161640 Volvo 4 speed (P/N 1161621) VW G 052 162 VW G 052 990 VW G 055 025 ZF TE-ML 09, 11 (3/4/5 speed)
GÖLT ATF MB-9 RED 0074-000236	Aisin Warner JWS 3309 JASO 1-A	-	BMW 5 Series BMW 7045E (3 Series) BMW LA 2634 BMW LT 71141 Ford FNR5 Ford XL-12 Transfer Case GM AutoTrak II Transfer Case Honda ATF Z-1 Hyundai/Kia JWS 3314 Hyundai/Kia JWS 3317 Hyundai/Kia SP-II Hyundai/Kia SP-III Idemitsu K17 Kia Red-1 Mazda ATF-M III Mazda ATF-MV MB 236.11 MB 236.10 MB 236.9 MB 236.81 MB 236.2 MB 236.1 236.14 MB 236.7 MB 236.6 MB 236.5 MB 236.3 Mitsubishi Diaqueen ATF-J3 Mitsubishi SP-II Mitsubishi SP-III MOPAR AS68RC Nissan 402 Nissan Matic-D Nissan Matic-J Nissan Matic-K PSA AL-4 Renault DP0 Subaru ATF Subaru ATF-HP Suzuki 3314 Suzuki 3317 Texaco ETL-7045E Texaco ETL-8072B Texaco N402 Toyota T Toyota T-II Toyota T-III Toyota T-IV Volvo 1161540 Volvo 1161640 Volvo 4 speed (P/N 1161621) VW G 052 162 VW G 052 990 VW G 055 025 ZF TE-ML 09, 11 (3/4/5 speed)

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF FZ BLUE 0074-000243	-	-	Honda/Acura DW-1 Honda/Acura GM AW1 Hyundai/Kia NWS-9638 T-5 Hyundai/Kia SP-IV Hyundai/Kia SPH-IV Maserati P/N 231603 Mazda 0000-FZ-113E-01 Mazda 8300-77-246 Mazda ATF FZ Mitsubishi ATF-J3 Nissan/Infinity Matic-S Toyota/Lexus/Scion Type WS
GÖLT ATF LV Fluid 0672	Ford MERCON® LV GM DEXRON®-VI JASO M315-2013 1A-LV	-	Ford WSS-M2C 938-A Motorcraft XT-10-QLV
GÖLT ATF M14 LV RED 0074-000251	-	-	MB 236.14
GÖLT ATF M15 ULV BLUE 0774	-	-	MB 236.15
GÖLT ATF M17 ULV 0074-000269	-	-	MB 236.17
GÖLT ATF ZM Synthetic BLUE 0074-000245	-	-	MAN 339 Typ Z4 ZF TE-ML 4D/14E/20F/16N
GÖLT ATF Fluid Suffix A 0074-000248	-	-	Type A Suffix A
GÖLT CVT Fluid 0074-000224	-	-	Audi TL 52 180 (G 052 180) Audi TL 52 516 (G 052 516) BMW/Mini (EVL799) Daihatsu TC/Amix CVTF-DC Daihatsu TC/Amix CVTF-DFE Dodge/Jeep NS-2 Dodge/Jeep CVTF+4 Ford (CVT23/30) Mercon C GM / SATURN DEX-CVT Honda HCF-2 Honda HMMF KIA/Hyundai CVTF MB 236.20 Mitsubishi Dia/Queen NS-2 Mitsubishi Dia/Queen CVT-Fluid J1/J4 Nissan NS-2 Nissan NS-3 Renault ELFMATIC Subaru ECVT/iCVT Subaru NS-2 / Linatronic CVTF Suzuki TC Suzuki TC NS-2 Suzuki TC CVT Green 1/2 Toyota TC

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT CVT Fluid GREEN 0074-000225	-	-	Audi TL 52 180 (G 052 180) Audi TL 52 516 (G 052 516) BMW/Mini (EZL799) Daihatsu TC/Amix CVTF-DC Daihatsu TC/Amix CVTF-DFE Dodge/Jeep NS-2 Dodge/Jeep CVTF+4 Ford (CVT23/30) Mercon C GM / SATURN DEX-CVT Honda HCF-2 Honda HMMF KIA/Hyundai CVTF MB 236.20 Mitsubishi Dia/Queen NS-2 Mitsubishi Dia/Queen CVT-Fluid J1/J4 Nissan NS-2 Nissan NS-3 Renault ELFMATIC Subaru ECVT/iCVT Subaru NS-2 / Linatronic CVTF Suzuki TC Suzuki TC NS-2 Suzuki TC CVT Green 1/2 Toyota TC
GÖLT CVT KFE RED 0074-000229	-	-	Audi TL 52 180 (G 052 180) Audi TL 52 516 (G 052 516) Daihatsu Amix CVTF-DC Daihatsu Amix CVTF DFE Dodge/Jeep NS-2 Dodge/Jeep CVTF+4 Ford CVT23 Ford CVT30 Ford Mercon C GM/Saturn (DEX-CVT) Honda HMMF Honda HFC-2 Hyundai/Kia SP-III Hyundai Genuine CVTF MB 236.20 Mini Cooper EZL 799 Mitsubishi Dia/Queen NS-2 Mitsubishi Dia/Queen CVT-Fluid Mitsubishi Dia/Queen J1/J4 Nissan NS-2 Suzuki TC Suzuki NS-2 Suzuki CVT Green 1 Suzuki CVT Subaru NS-2 Subaru Lineartronic CVTF Toyota TC
GÖLT CVT NS-3 GREEN 0074-000227	-	-	Nissan NS-3
GÖLT CVTF NS2/J1 GREEN 0074-000230	-	-	Mitsubishi S0001401 Nissan CVT NS-2 KLE52-0002 Nissan CVT NS-2 KLE52-0004 PSA Standard 9735EF Suzuki CVT Fluid Green 1 99000-22B15-046
GÖLT DCT/DSG Super 0074-000214	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 MB 236.21 Mitsubishi Dia/Queen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 Volvo 1161838 Volvo 1161839 VW TL 052 182 A2 VW TL 052 529

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT DCT/DSG Super HC 0074-000215	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 MB 236.21 Mitsubishi Dia/Queen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 Volvo 1161838 Volvo 1161839 VW TL 052 182 A2 VW TL 052 529
GÖLT DCT-F3 0074-000217	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 Ford WSS-M2C 936-A MB 236.21 Mitsubishi MZ320065 Diaqueen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 Volvo 1161838 Volvo 1161839 VW TL 052 182 VW TL 052 529
GÖLT DCT-P3 0074-000250	-	-	BMW 83 22 2 148 578 BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 579 Ford WSS-M2C 936-A MB 236.21 Mitsubishi MZ320065 Diaqueen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 Porsche 000 043 306 24 Volvo 1161838 Volvo 1161839 VW TL 052 182 VW TL 052 529

Getriebeöle
Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ATF MCV 0074-000255	Aisin Warner JWS 3309 Ford MERCON® V Dexron II/II-D/II-e GM Dexron III-G/H	-	Allison C-4 Allison TES-295 Allison TES-389 BMW/Mini 81 22 9 400 272 BMW/Mini 81 22 9 400 275 BMW/Mini 81 22 9 407 858 BMW/Mini 81 22 9 407 859 BMW/Mini 83 22 0 024 249 BMW/Mini 83 22 0 024 359 BMW/Mini 83 22 0 402 413 BMW/Mini 83 22 0 403 248 BMW/Mini 83 22 0 403 249 BMW/Mini 83 22 7 542 290 BMW/Mini 83 22 0 026 922 (BMW 7045 E) BMW/Mini 83 22 9 407 765 (BMW LA 2634) Chrysler/Dodge/Jeep AS68RC ATF Chrysler/Dodge/Jeep SP-III Chrysler/Dodge/Jeep ATF+2/ATF+3/ATF+4 Ford WSS-M2C 919-E Ford WSS-M2C 922-A1 Ford/Lincoln/Mercury XT-2-QDX [M] Ford/Lincoln/Mercury XT-2-QSM [Syn] Ford/Lincoln/Mercury XT-5-QM or -DM [V] Ford/Lincoln/Mercury XT-8-QAW [Premium] Ford/Lincoln/Mercury XT-9-QMM5 [FNR5] GM Dexron II/II-D/II-E/III-G/III-H GM/GMC/Opel/Saturn 19 40 700 GM/GMC/Opel/Saturn 19 40 767 GM/GMC/Opel/Saturn 22717466 GM/GMC/Opel/Saturn P/N 21005966 (transaxle) GM/GMC/Opel/Saturn 88900925/9986195 GM/GMC/Opel/Saturn T-IV, Type A Suffix A Jaguar JLM 20238 Jaguar JLM 20292 Jaguar JLM 21044 Jaguar JLM K17 Jaguar WSS-M2C 922-A1 Land Rover Texaco ETL-7045E MAN 339 A MB 236.3 MB 236.5 MB 236.6 MB 236.7 MB 236.8 MB 236.9 MB 236.10 MB 236.11 MB 236.91 Mercon V Mobil ATF 3309 Porsche 000 043 204 41 Porsche 000 043 205 09 Porsche 999 917 547 00 (A2) PSA Peugeot Citroen Z 000169756 Renault Matic D2 Renk Genuine Oil Saab 3309 - T-IV Shell 3403-M115, LA 2634 Texaco ETL 7045E Texaco ETL 8072B Texaco ETL N402 Voith H55.6335.XX Voith Svc Bltn # 013 / 118 Volvo 161521 Volvo 1161540 Volvo 1161640 Volvo 1273,41 VW/Audi G 052 025 A2, G 052 055 VW/Audi G 052 162 (A1, A2) VW/Audi G 052 990 (A2), G 055 025 (A2) VW/Audi US 000 162 ZF TE-ML 11A, 11B

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT ECO Mul i ATF HV 0704	-	-	Allison C-4 Allison TES-389 Audi/VW G 052 025 A2 Audi/VW G 055 025 A2 BMW 83 22 0 402 413 Land Rover LR 002748 Porsche 000 043 205 28 Volvo 1161540 Volvo 1161640
75W-80			
GÖLT Gear Super Synth. 75W-80 GL-4 0074-000174	API GL-4	-	PSA Standard B 71 2315
GÖLT Truck Gear LongLife 75W-80 RED 0074-000177	API GL-4 MIL-L-2105	MAN 341 Typ Z4 ZF TE-ML 01L, 02L, 16K	DAF EATON (Extended drain)/Iveco/Renault MAN 341 Typ E3 MAN 341 Typ V-R Volvo 97305 Volvo 97307 Volvo 97318
GÖLT Gear Extra 75W-80 0074-000175	API GL-4	-	PSA Standard B 71 2315
75W-85			
GÖLT Gear Super Synth. LX 75W-85 GL-5 0074-000179	API GL-5 API MT-1 MIL-L-2105 E SAE J2360	-	BMW 83 22 2 295 532 Honda HGO-1 (08200-9014) MB 235.7 MB 239.71, MB 239.72, MB 235.74 VW TL 52 145-X (G 052 145 A1) VW TL 52 190 (G 052 190 A2, G 055 190 A2) ZF TE-ML 18
75W-90			
GÖLT Gear Super Synth. 75W-90 GL-5 0074-000182	API GL-5 MIL-L 2105 D	-	Ford M2C-9002A GM Mack GO-CS 3000B Mack GO-G MAN 342 M2 (160 000 km) MB 235.0 MB 235.1 MB 235.8 ZF TE-ML 05A, 07A, 16,B-D, 17B, 19B, 21A
GÖLT Gear Super Synth. 75W-90 GL 4/5 0074-000183	API GL-4/5 MIL-L 2105 D	-	BMW 83229407768 BMW OSP BMW SAF-XO BOT 328 BOT 130M BOT 720 DAF LKW (für verlängerte Intervalle) Iveco MAN 342 Typ S-1 MB 235.8 MB 235.11 Renault LKW Scania STO 1:0 Volvo 97312 Volvo 97315 ZF TE-ML 12B, 16F, 17B



Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Gear Super Synth. 75W-90 GL-4 0074-000181	API GL-4	-	Ford ESD-M2C 175 GM Opel B 040 104 3 PSA Standard B 71 2315 VW 501 50
GÖLT Gear Extra Full Synth. 75W-90 GL-4 0074-000185	API GL-4	-	Ford ESD-M2C 175 GM Opel B 040 104 3 PSA Standard B 71 2315 VW 501 50
GÖLT Gear Extra Full Synth. LS 75W-90 GL-5 0074-000188	API MT-1 MIL-L-2105 E	-	Mack GO-J PG-2 Limited Slip
GÖLT Gear Extra Full Synth. 75W-90 GL-5 0074-000186	API GL-5 MIL-L 2105 D NATO O-226 SAE J2360	-	MAN 342 M1 MAN 342 M2 Scania STO 1:0 Volvo 1273.10 ZF TE-ML 05A, 7A,08 ,12E, 16B-D, 17B, 19B, 21A
GÖLT Gear Super Synth. LS 75W-90 GL-5 0074-000184	API GL-5 MIL-L 2105 D	-	ZF TE-ML 05C, 05D
GÖLT Gear Extra Full Synth. 75W-90 GL-4/5 0074-000187	API GL-4 API GL-5 MIL-L 2105 D	-	BMW 83 22 9 407 768 Iveco MAN 342 Typ S-1 MB 235.8 MB 235.11 DAF/Renault LKW (für verlängerte Intervalle) Scania STO 1:0 Volvo 97312 Volvo 97315 ZF TE-ML 12B, 16F, 17B



Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Gear M. 75W-90 GL-4/5 0775	API GL-4/5 API MT-1 MIL-L-2105 D/E	-	BMW 83 22 9 407 768 BMW OSP BMW SAF-XO BOT 328, 130M, 720 DAF LKW (für verlängerte Intervalle) Iveco Mack GO-J MAN 342 Typ S1/S2 MB 235.8 MB 235.11 Renault LKW SCANIA STO 1:0 Volvo 97312 Volvo 97315 VW 501 50 (VW G052 911 A1/A2) ZF TE-ML 02B, 05B, 07A, 12B/N, 16F, 17B, 19C, 21B
75W-110			
GÖLT TDL 75W-110 0687	API GL-4/5 API MT-1 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	-	Arvin Meritor 0-76-M DAF Iveco Mack GO-J Scania STO 2:0 A ZF TE-ML 05A, 07A, 08, 12N, 16F, 19C, 21A
75W-140			
GÖLT Gear Full Synth. Racing LS 75W-140 BLUE 0074-000190	API GL-5 Limited Slip	-	-
GÖLT Gear Extra Full Synth. LS 75W-140 GL-5 0074-000189	API GL-5	-	-
GÖLT Gear Super Synth. LS 75W-140 GL-5 0074-000191	API GL-5 MIL-L-2105 D	-	ZF TE-ML 16C, 05C, 12C, 16E
80W-90			
GÖLT Gear Super 80W-90 GL-4 0074-000192	API GL-4 API MT-1	-	MAN 341 Z1 MAN 341 Z2 MB 235.5 ZF TE-ML 02A, 02B, 17A

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Gear Extra 80W-90 GL-5 0074-000193	API GL-5 NATO O-226 SAE J2360	-	MAN 342 M1 MAN 342 M2 Scania STO 1:0 Volvo 1273.10 ZF 05A, 07A, 12E, 16C, 17B, 19B, 21A
GÖLT Power Gear Long Drain 80W-90 0686	API GL-4 API GL-5 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	VOLVO 97321	MAN 342 Typ M1/M2 MB 235.0 MB 235.6 Scania STO 1:0 VOLVO STD 1273.10 ZF TE-ML 05A/07A/21A/08/16B/17B/19B/16C/16D/12E
GÖLT ECO PG M 80W-90 0743	API GL-4 API GL-5 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	-	MAN 3343 Typ M MAN 342 M1 MAN 342 M2 MB 235.0 MB 235.6 Scania STO 1:0 Volvo 1273.21 Volvo 1273.10 ZF TE-ML 05A, 07A, 08, 12E, 16B/C, 17B, 19B, 21A
GÖLT Gear Extra LS 80W-90 GL-5 0791	API GL-5 MIL-L-2105 D NATO O-226	-	MAN 342 M1 MAN 342 M2 ZF TE-ML 05A, 07A, 12E, 16B, 16C, 17B, 19B, 21A
80W-140			
GÖLT Gear Super Synth. 80W-140 GL-5 0074-000196	API GL-5 API MT-1 MIL-L 2105 D SAE J2360	-	MACK GO-J Scania STO 1:0 ZF TE-ML 05A, 7A, 12E, 16C, 16D, 21A
GÖLT Gear 80W-140 GL-5 0733	API GL-5 API MT-1 MIL-PRF-2105 E	-	SCANIA STO 1:0 ZF TE-ML 05A, 12M, 16D, 21A

Getriebeöle

Transmission fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
85W-90			
GÖLT Gear Super LS 85W-90 GL-5 0074-000197	API GL-5 MIL-L-2105 D	-	Ford M2C 104-A ZF TE-ML 16C, 05C, 12C, 16E
GÖLT Gear Super LS PLUS 85W-90 GL-5 0715	API GL-5 LS MIL-L-2105 D ASTM D7450 Liebherr Cranes	-	MAN 342N Volvo 97310 ZF TE-ML 08, 16E
85W-140			
GÖLT Gear Extra 85W-140 0074-000198	API GL-5 MIL-L-2105 D	-	DAF Ford SQM-2C 9002-A GM Mack GO-CS 3000B Mack GO-G MAN 342 Type M1 Scania STO 1:0 Volvo 97310 ZF TE-ML 05A, 12E, 16D, 21A
Einbereichsöle <i>Single grade oils</i>			
GÖLT Mineral SAE 80 GL-4 0074-000200	API GL-4	-	-
GÖLT Gear Super LS SAE 90 GL-5 0074-000199	API GL-5 MIL-L-2105 D	-	MAN 342 M2 ZF TE-ML 05A, 07A, 12E, 16B-D, 17B 19B, 21A
GÖLT Gear Super SAE 90 GL-4 0074-000202	API GL-4	-	-
GÖLT Gear Extra SAE 90 0074-000203	API GL-5 MIL-L-2105 D	-	MAN 342 M2 ZF TE-ML 05A, 07A, 12E, 16B, 16C, 17B, 19B, 21A
GÖLT MTF-3 SAE 75W 0074-000238	API GL-4	-	Honda MTF-3 MB 235.10 Mitsubishi MZ320065 Diaqueen SSTF-I Peugeot/Citroen 9734.S2 VW G 052 171 A2 VW G 052 178 A2 VW G 052 512 A2 VW G 055 726 A2

✓

Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Gas Engine Oil SAE 40 0000	Caterpillar 3516 TALE engines	-	Caterpillar Group I Caterpillar Group II GE Jenbacher Type 2, Type 3, Type 4 (Version A & B) GE Jenbacher Type 6 (Version C & E) MWM MWM: Natural Gas (Class A), Biogas (Class B) Waukesha Group I Waukesha 7044GSI engines
GÖLT Mineral Hydraulic HLP 10 0074-000278	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Metso Sauer-Danfoss 520L0463
GÖLT Mineral Hydraulic HLP 15 0074-000279	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HL ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Metso Sauer-Danfoss 520L0463
GÖLT Mineral Hydraulic HLP 22 0074-000280	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 GM LH-02-1-04/LS-2 Metso Sauer-Danfoss 520L0463
GÖLT Mineral Hydraulic HLP 32 0074-000281	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM JCMAS HK MIL-PRF-17672E SAE MS1004 HM SEB 181 222 VDMA 24318	-	Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-38/P-68 GM LH-02-1-04/LS-2 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 Voith Turbo (HLP 32)



Industrie- und Hydrauliköle
Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Mineral Hydraulic HLP 46 0074-000282	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM JCMAS HK MIL-PRF-17672E NATO H-573 SAE MS1004 HM SEB 181 222 VDMA 24318	-	Arburg Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-55/P-70 GM LH-02-1-04/LS-2 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 ZF TE-ML 07H
GÖLT Mineral Hydraulic HLP 68 0074-000283	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM MIL-PRF-17672E SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-55/P-70 GM LH-06-1-04/LS-2 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 ZF TE-ML 07H
GÖLT Mineral Hydraulic HLP 100 0074-000284	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Sauer-Danfoss 520L0463
GÖLT Mineral Hydraulic HLP 150 0074-000285	AFNOR NF E 48-603 HM ASTM D6158 DIN 51524-2 GB 111118.1 L-HM ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM VDMA 24318	-	Bosch Rexroth RE 90220 Fives Cincinnati P-57 Sauer-Danfoss 520L0463
GÖLT Standard HLP 32 0696	DIN 51524-2 Central Mining Institute - sign B ISO L-HM ISO VG Klasse 32	-	-
GÖLT Standard HLP 46 0698	DIN 51524-2 Central Mining Institute - sign B ISO L-HM ISO VG Klasse 46	-	-
GÖLT Standard HLP 68 0700	DIN 51524-2 Central Mining Institute - sign B ISO L-HM ISO VG Klasse 68	-	-



Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Hydraulic HVLP 15 0074-000286	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV SAE MS1004	-	Bosch Rexroth RE90220 Sauer-Danfoss 520L0463
GÖLT Hydraulic HVLP 22 0074-000287	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 127 US Steel 136
GÖLT Hydraulic HVLP 32 0074-000288	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-68 GM LH-03-1-04/LS-2 Sauer-Danfoss 520L0463 US Steel 127 US Steel 136
GÖLT Hydraulic HVLP 46 0074-000289	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-68 GM LH-03-1-04/LS-2 Sauer-Danfoss 520L0463 US Steel 127 US Steel 136
GÖLT Hydraulic HVLP 68 0074-000290	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 127 US Steel 136
GÖLT Hydraulic HVLP 100 0448	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 127 US Steel 136
GÖLT HLP AF 22 0074-000270	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136



Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT HLP AF 32 0074-000271	AFNOR NF E 48-603 HM ASTM D6158 DIN 51524-2 GB 111118.1 L-HM ISO 11158 ISO 6743-4 HM SAE MS1004 HM SEB 181 222	-	Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-38/P-68 GM LH-03-1-04 Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
GÖLT HLP AF 46 0074-000272	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
GÖLT HLP AF 68 0074-000273	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
GÖLT Hydraulic HVLP AF 22 0074-000274	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H-HV DIN 51524-3 GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 GM LH-02-1-04/LS-2 Sauer-Danfoss 520L0463
GÖLT Hydraulic HVLP AF 32 0074-000275	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H-HV GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton Vickers I-286-S/M-2950-S Fives Cincinnati P-68 GM LH-03-1-04/LS-2 Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136
GÖLT Hydraulic HVLP AF 46 0074-000276	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743-4 HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers M-2950-S Sperry Vickers 1-286-S US Steel 127 US Steel 136
GÖLT Hydraulic HVLP AF 68 0074-000277	AFNOR 48 603 HV CETOP RP 91H-HV ISO 6743-4 HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 127 US Steel 136
GÖLT HLPD 10 0074-000294	DIN 51524-2v	-	Daimler Chrysler DBL 6721

*außer Demulgierbarkeit *except demulsibility



Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT HLPD 15 0074-000295	DIN 51524-2* ISO 6743-4 HM*	-	Daimler Chrysler DBL 6721
GÖLT HLPD 22 0074-000296	DIN 51524-2	-	Daimler Chrysler DBL 6721
GÖLT HLPD 32 0074-000297	AFNOR NF E 48-603 HM* ASTM D6158* DIN 51524-2 HM* ISO 11158 HM* ISO 6743-4 HM* JCMAS HK* SAE MS1004 HM* SEB 181 222* VDMA 24318*	-	Daimler Chrysler DBL 6721 MAN N 698 Müller Weingarten US Steel 127 US Steel 136*
GÖLT HLPD 46 0074-000298	DIN 51524-2	-	Daimler Chrysler DBL 6721
GÖLT HLPD 68 0074-000299	DIN 51524-2	-	Daimler Chrysler DBL 6721 MAN N 698
GÖLT HLPD 100 0074-000300	DIN 51524-2	-	Daimler Chrysler DBL 6721
GÖLT HVLPD 32 0074-000291	AFNOR 48-603 AFNOR 48-690/1 CETOP RP 91H (HV) DIN 51524-3 ISO 11158 HV ISO 6743-4	-	-
GÖLT HVLPD 46 0074-000292	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 136
GÖLT HVLPD 68 0074-000293	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 136
GÖLT CLP 32 0074-000330	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200

✓

🚗

🚚

🚛

⚙️

🏭

🚜

🚢

💧

Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT CLP 46 0074-000331	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 68 0074-000332	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 100 0074-000333	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 150 0074-000334	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 220 0074-000335	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 320 0074-000336	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 460 0074-000337	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CLP 680 0074-000338	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT Standard CLP 220 0788	DIN 51517 CLP ISO VG 220 ISO-L-CKC	-	-
GÖLT Standard CLP 320 0789	DIN 51517 CLP ISO VG 320 ISO-L-CKC	-	-
GÖLT Standard CLP 460 0790	DIN 51517 CLP ISO VG 460 ISO-L-CKC	-	-
GÖLT CLP 220 VCI 0074-000339	AGMA 9005-D94	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200



Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT FS PAO CLP 68 0074-000286	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT FS PAO CLP 100 0074-000341	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT FS PAO CLP 150 0074-000342	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT FS PAO CLP 220 0074-000343	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT FS PAO CLP 320 0074-000344	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT FS PAO CLP 460 0074-000345	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
GÖLT CGLP ISO 32 0074-000351	AFNOR E 60-203 L-G/HG DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HG/HM ISO 11158 HG/HM ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC SAE MS 1007 Type E SH/T 0361-98 L-G	-	Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
GÖLT CGLP ISO 46 0074-000352	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HM ISO 11158 HM ISO 6743-6 CKC SAE MS 1007 Type E SH/T 0361-98 L-G	-	Eaton/Sperry Vickers M-2950-S



Industrie- und Hydrauliköle
Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT CGLP ISO 68 0074-000353	AFNOR E 60-203 L-G/HG DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HG/HM MIL-A-A-59113 Type I ISO 11158 HG/HM ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC SAE MS 1007 Type E SH/T 0361-98 L-G	-	Eaton /Sperry Vickers M-2950-S Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
GÖLT CGLP ISO 150 0074-000354	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HM ISO 11158 HM ISO 6743-6 CKC SAE MS 1007 Type E SH/T 0361-98 L-G	-	-
GÖLT CGLP ISO 220 0074-000355	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC MIL-A-A-59113 Type II SAE MS 1007 Type E SH/T 0361-98 L-G	-	Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
GÖLT Circula ing Oil CL 150 0074-000311	DIN 51517-2	-	-
GÖLT Circula ing Oil CL 220 0074-000312	DIN 51517-2	-	-
GÖLT Circula ing Oil CL 320 0074-000313	DIN 51517-2	-	-
GÖLT Circula ing Oil CL 460 0074-000314	DIN 51517-2	-	-
GÖLT Circula ing Oil CL 680 0074-000315	DIN 51517-2	-	-

Industrie- und Hydrauliköle
Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Compressor Oil VDL 32 0074-000316	AFNOR NF E 48-603 HL DIN 51506 DIN 51517-2 CL DIN 51524-1 HL GB111118.1-2011 L-HL ISO 11158 HL ISO/DP 6521 (DAA, DAB, DAG, DAH)	-	ALMiG Compressors ALUP ATLAS COPCO Atmos Chrást Chicago Pneumatics CompAir Fives Cincinnati P-38 Gardner & Denver Kaeser Compressors Quincy Compressors
GÖLT Compressor Oil VDL 46 0074-000317	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT Compressor Oil VDL 68 0074-000318	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	-
GÖLT Compressor Oil VDL 100 0074-000319	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	-
GÖLT Compressor Oil VDL 150 0074-000320	AFNOR NF E 48-603 HL DIN 51524-1 DIN 51506 (VBL, VCL, VDL) DIN 51517-2 CL GB111118.1-2011 L-HL ISO 11158 HL ISO/DP 6521 (DAA, DAB, DAH, DAG) SEB 181225	-	BAUER Compressors Champion Air Compressors Fiac Fini Compressors Fives Cincinnati P-57 Ingersoll Rand Kaeser Compressors Quincy Compressors
GÖLT Compressor Oil VDL 220 0074-000321	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT Compressor Oil VDL 320 0074-000322	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT Compressor Oil VDL 460 0074-000323	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT PAO Compressor Oil 32 0074-000324	-	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser
GÖLT PAO Compressor Oil 46 0074-000325	-	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser



Industrie- und Hydrauliköle
Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT PAO Compressor Oil 68 0074-000326	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser
GÖLT PAO Compressor Oil 100 0074-000327	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT PAO Compressor Oil 150 0074-000328	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT PAO Compressor Oil 220 0074-000329	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
GÖLT Hydraulic HEES 46 0454	DIN 51524-1 DIN 51524-2 DIN 51524-3 ISO 4263-1 JCMAS P042 HKB Swedish Standard SS 155434 VDMA 24568 VDMA 24570	-	Eaton Brochure 03-401-2010 Denison HF-1 Denison HF-2 Denison HF-6 US Vessel General Permit (VGP) USDA Biopreferred®
GÖLT Hea ing Oil WT 10 0074-000307	-	-	-
GÖLT Hea ing Oil WT 32 0074-000308	Wärmeträgeröl Q 32 nach DIN 51502 Wärmeträgeröl Q 32 nach DIN 51522	-	-
GÖLT Hea ing Oil WT 46 0074-000309	Wärmeträgeröl Q 46 nach DIN 51502	-	-
GÖLT Hea ing Oil WT 68 0074-000310	-	-	-
GÖLT Turbo lo TU 32 0074-000441	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.



Industrie- und Hydrauliköle

Industrial and hydraulic fluids

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Turbo lo TU 46 0074-000442	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.
GÖLT Turbo lo TU 68 0074-000443	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.
GÖLT Vakuumpumpenöl 100 0446	AFNOR NF E 48-603 (HM, HV) DIN 51506 VC DIN 51524-2 ISO 6743-3 DVA/DVC	-	Vickers Vane Pump
GÖLT Pro 90 0590	-	-	-



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
Landmaschinenöle Agricultural machinery oils			
GÖLT UTTO 520 0757	API GL-4 SAE 5W-20 SAE 75W		Allison C-4 Case MS-1207 Caterpillar TO-2 CNH MAT 3540 John Deere J20D Massey Ferguson CMS M1145 Massey Ferguson CMS M1143 Massey Ferguson CMS M1141 New Holland 410C Volvo WB 102 ZF TE-ML 03E, 05F, 06E, 06F, 06K, 17E, 21F
GÖLT UTTO 0074-000361	API GL-4 DIN 51524-3 (HVLP-D)	ZF TE-ML 03E/17E/05F/21F	Allison C-4 Caterpillar TO-2 CNH MAT 3506 CNH MAT 3525 CNH 410 B CNH MS 1206 CNH MS 1210 Deutz-Allis AC Power Fluid 821 XL FNHA 2-C-200.00 Ford ESN-M2C 86-B/C Ford ESN-M2C 134-D John Deere J20 C John Deere J21A Massey Ferguson CMS M1135 Massey Ferguson CMS M1141 Massey Ferguson CMS M1143 Massey Ferguson CMS M1145 Renault 180596 SDFG OT 1891 A Volvo BM WB 101 (BM Valmet, AWB Achsen) White Farm (AGCO) Q-1802 White Farm (AGCO) Q-182616 ZF TE-ML 06K, 06R, 06S
GÖLT STOU 5W-30 0074-000356	API GL-4 API CG-4/SF ACEA E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Ford ESN-M2C 159-B John Deere J27 MAN 270 Massey Ferguson CMS M1139 Massey Ferguson CMS M1144 Massey Ferguson CMS M1145 MB 227.1 MB 228.1 MB 228.3 ZF TE-ML 06A, 06B, 06C, 06D, 07B
GÖLT STOU 10W-30 0074-000357	API GL-4 API CG-4/SF ACEA E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Ford ESN-M2C 159-B John Deere J27 MAN 270 Massey Ferguson CMS M1139 Massey Ferguson CMS M1144 Massey Ferguson CMS M1145 MB 227.1 MB 228.1 MB 228.3 ZF TE-ML 06A, 06B, 06D, 07B
GÖLT STOU 10W-40 0074-000358	API GL-4 API CG-4/SF ACEA E3 DIN 51524-3 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 CNH 410B CNH MAT 3525 Fendt KDM 41.2011 Ford ESN-M2C 134-B Ford ESN-M2C 134-C Ford ESN-M2C 134-D Ford ESN-M2C 159-B Ford ESN-M2C 159-C John Deere J20 C John Deere J20 D John Deere J27 MAN 271 Massey Ferguson CMS M1139 Massey Ferguson CMS M1144 Massey Ferguson CMS M1145 MB 227.1 MB 228.1 MB 228.3 ZF TE-ML 06A, 06B, 06C, 06D, 06F, 07B

Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT STOU 15W-40 0074-000359	API GL-4 API SF/CF/CG-4 ACEA E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Ford ESN-M2C 159-B John Deere J27 MAN 271 Massey Ferguson CMS M1139 Massey Ferguson CMS M1144 Massey Ferguson CMS M1145 MB 227.1 MB 228.1 MB 228.3 ZF TE-ML 06A, 06B, 06C, 06D, 07B
GÖLT STOU 20W-40 0074-000360	API GL-4 API CG-4/SF ACEA E3 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Fendt KDM 41.2011 Ford ESN-M2C 159-B Ford ESN-M2C 159-C John Deere J27 MAN 271 Massey Ferguson CMS 1139 Massey Ferguson CMS 1144 MB 227.1 MB 228.1 MB 228.3 ZF TE-ML 06A, 06B, 06C, 06D, 07B
GÖLT TO-2 Fluid 30 0074-000368	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
GÖLT TO-2 Fluid 40 0074-000369	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
GÖLT TO-2 Fluid 50 0074-000370	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
GÖLT TO-2 Fluid 10W 0074-000367	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
GÖLT TO-4 SAE 30 0074-000363	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C, 07F
GÖLT TO-4 SAE 40 0074-000364	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C, 07F
GÖLT TO-4 SAE 50 0074-000365	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C, 07F
GÖLT TO-4 SAE 60 0074-000366	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C, 07F



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT TO-4 SAE 10W 0074-000362	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Komatsu KES 07.868.1 (2002) ZF TE-ML-03C, 07F
2-Taktöle 2-stroke engine oils			
GÖLT Selfmix 2-stroke engine BLUE 0074-000372	API TB ISO-L-EGB JASO FB	-	-
GÖLT Selfmix 2-stroke engine RED 0074-000373	API TB ISO-L-EGB JASO FB	-	-
GÖLT Selfmix 2-stroke engine COLORLESS 0074-000371	API TB ISO-L-EGB JASO FB	-	-
GÖLT Semi Synth. 2-stroke engine BLUE 0074-000375	API TC ISO-L-EGD JASO FD	-	-
GÖLT Semi Synth. 2-stroke engine COLORLESS 0074-000374	API TC ISO-L-EGD JASO FD	-	-
GÖLT Semi Synth. 2-stroke engine RED 0074-000376	API TC ISO-L-EGD JASO FD	-	-
GÖLT FS 2-stroke engine COLORLESS 0074-000377	API TC ISO-L-EGD JASO FD	-	Husqvarna Piaggio Hexagon Rotax Stihl



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT FS 2-stroke engine RED 0074-000378	API TC ISO-L-EGD JASO FD	-	Husqvarna Piaggio Hexagon Rotax Stihl
GÖLT ECO Semi Synth. 2-stroke engine RED 0074-000384	API TC ISO-L-EGD JASO FD	-	-
4-Taktöle 4-stroke engine oils			
GÖLT MotorCycle 4 Stroke 5W-30 0074-000393	API SL JASO MA2	-	-
GÖLT MBike 5W-30 0074-000413	API SN JASO MA2	-	-
GÖLT MotorCycle 4 Stroke FS 5W-40 0074-000402	API SL JASO MA2	-	-
GÖLT MotorCycle 4 Stroke 5W-40 0074-000394	API SL JASO MA JASO MA2	-	-
GÖLT MBike 5W-40 0074-000414	API SN JASO MA2	-	-
GÖLT MotorCycle 4 Stroke FS Racing 5W-50 0074-000403	API SL JASO MA2	-	-
GÖLT MotorCycle 4 Stroke 10W-30 0074-000395	API SL JASO MA2	-	-

✓

Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Outboard 4T Mineral 10W-30 0621	API SL NMMA FC-W	-	-
GÖLT MBike 10W-30 0074-000415	API SN JASO MA2	-	-
GÖLT Outboard 4-stroke 10W-40 COLORLESS 0074-000408	API SM NMMA FC-W NMMA FC-W (CAT)	-	Honda Johnson/Evinrude Mercury/Verado Suzuki Tohatsu/Nissan Yamaha
GÖLT Outboard 4-stroke 10W-40 BLUE 0074-000409	API SM NMMA FC-W NMMA FC-W (CAT)	-	Honda Johnson/Evinrude Mercury/Verado Suzuki Tohatsu/Nissan Yamaha
GÖLT MotorCycle 4 Stroke 10W-40 0074-000396	API SL JASO MA2	-	Aprilia BMW Ducati Honda Kawasaki Moto-Guzzi Suzuki Triumph Yamaha
GÖLT MotorCycle 4 Stroke FS 10W-40 0074-000404	API SL JASO MA2	-	-
GÖLT Outboard 4T Mineral 10W-40 0619	NMMA FC-W	-	-
GÖLT Outboard 4T Mineral 10W-40 BLUE 0626	API SM NMMA FC-W	-	Honda Johnson/Evinrude Mercury/Verado Suzuki Tohatsu/Nissan Yamaha
GÖLT MBike 10W-40 0074-000416	API SN JASO MA2	-	-



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT MotorCycle 4 Stroke 10W-50 00074-000398	API SL JASO MA2	-	Aprilia BMW Ducati Honda Kawasaki Moto-Guzzi Suzuki Triumph Yamaha
GÖLT MotorCycle 4 Stroke 10W-50 RED 0074-000399	-	-	-
GÖLT MBike 10W-50 0074-000417	API SN JASO MA2	-	-
GÖLT MotorCycle 4 Stroke 10W-60 0074-000400	API SL JASO MA JASO MA2	-	-
GÖLT MBike 10W-60 0074-000418	API SN JASO MA2	-	-
GÖLT MotorCycle 4 Stroke Mineral 15W-40 0074-000388	API SL JASO MA2	-	-
GÖLT Outboard 4-stroke 15W-40 BLUE 0074-000411	NMMA FC-W	-	-
GÖLT Outboard 4T Mineral 15W-40 0623	API SL NMMA FC-W	-	-
GÖLT MBike 15W-40 0074-000419	API SN JASO MA2	-	-



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT MotorCycle 4 Stroke 15W-50 0074-000401	API SL JASO MA2	-	-
GÖLT MotorCycle 4 Stroke FS 15W-50 0074-000405	API SL JASO MA2	-	-
GÖLT MBike 15W-50 0074-000420	API SN JASO MA2	-	-
GÖLT MotorCycle 4 Stroke Mineral 20W-40 0074-000389	API SM JASO MA2	-	-
GÖLT MBike 20W-40 0074-000421	API SN JASO MA2	-	-
GÖLT Motobike V-Twin 20W-50 0074-000391	API SL JASO MA2	-	Cruiser Motorräder Harley Davidson V-TWIN Chopper
GÖLT MotorCycle 4 Stroke Mineral 20W-50 0074-000390	API SM JASO MA2	-	-
GÖLT Motobike V-Twin FS 20W-50 0074-000392	JASO MA2	-	Cruiser Motorräder V-TWIN Chopper Harley Davidson
GÖLT MBike 20W-50 0074-000422	API SN JASO MA2	-	-
GÖLT Outboard 4-stroke 25W-40 BLUE 0074-000412	API SM NMMA FC-W NMMA FC-W (cat)	-	Honda Johnson/Evinrude Mercury Verado Suzuki Tohatsu/Nissan Yamaha
GÖLT Outboard 4T Mineral 25W-40 0689	-	-	-



Marineöle

Marine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Marine 830 0074-000423	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine 840 0074-000424	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine 1240 0074-000426	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine 1230 0074-000425	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine 1630 0074-000427	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine 1640 0074-000428	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
GÖLT Marine MCL 4050 0074-000430	-	-	MAN Wärtsilä
GÖLT Marine MCL 5040 0074-000431	-	-	MAN Wärtsilä
GÖLT Marine MCL 5050 0074-000432	-	-	MAN Wärtsilä
GÖLT Marine MCL 5540 0074-000433	-	-	MAN Wärtsilä



Marineöle

Marine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT Marine MCL 5550 0074-000434	-	-	MAN Wärtsilä
GÖLT Marine MCL 7040 0074-000435	-	-	MAN Wärtsilä
GÖLT Marine MCL 7050 0074-000436	-	-	MAN Wärtsilä
GÖLT Marine MCL 8040 0074-000437	-	-	MAN Wärtsilä
GÖLT Marine MCL 8050 0074-000438	-	-	Wärtsilä
GÖLT Marine MCL 10040 0074-000439	-	-	MAN Wärtsilä
GÖLT Marine MCL 10050 0074-000440	-	-	MAN Wärtsilä



Weitere Öle

More oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT PDK Fluid 0074-000256	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 Ford WSS-M2C 936-A MB 236.21 Mitsubishi Diaqueen SSTF-I Peugeot/Citroën 9734.S2 Porsche 999.917.080.00 Volvo 1161838 Volvo 1161839 VW TL 052 182 VW TL 052 529
GÖLT PSF Fluid 0074-000257	-	-	Honda PSF-S Hyundai PSF-III Kia PSF-III Mazda PSF Mitsubishi DIAMOND PSF-2M Peugeot/Citroën 9735.EJ Subaru PSF Toyota PSF-EH
GÖLT PSF Premium Synthetic 0074-000258	-	-	Chrysler MS-11655 Chrysler MS-1872 Chrysler MS-5391 Chrysler MS-9602 Ford WSA-M2C 195-A Ford WSS-M2C 204-A GM 88901975 GM 89021184 GM 9985010 GM 9985835 Hyundai PSF-III Hyundai PSF-IV MAN M 3289 MB 236.3 MB 345.0 Mitsubishi DIAMOND SP-III Mitsubishi PSF Nissan PSF-II Opel B 040 2012 Saab 30 09 800 Saab 30 32 380 Saab 93160548 Subaru K0209A0080 Toyota Type EH 008886-01 Volvo 1161529 Volvo 30741424 VW/Audi G 002 000 VW/Audi G002 012 VW/Audi G 004 000 VW TL 52 146
GÖLT Zentral Hydraulik Fluid GREEN 0074-000302	DIN 51524-2	-	CHF202 Land Rover Cold Climate PAS Fluid 14315 LRN2261 MB 343.0 Opel 1940 766 Peugeot/Citroën 9979 A1 Saab 93160548 Volvo 30741424 VW G 004 000
GÖLT LHM + Fluid GREEN 0074-000303	ISO 7308 DIN 51524-2	-	CHF202 Land Rover Cold Climate PAS Fluid 14315 LRN2261 MB 343.0 Opel 1940 766 Peugeot/Citroën 9979 A1 Saab 93160548 Volvo 30741424 VW G 004 000

Weitere Öle

More oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Freigaben Approvals	Empfehlungen Recommendations
GÖLT SSF Polar GREEN 0074-000306	ISO 7308 DIN 51524-3	-	BMW 83 29 0 429 576 CHF11S CHF202 Ford 1 384 110 Ford WSS-M2C 204-A2 Hyundai/Kia PSF-IV Land Rover Cold Climate PAS Fluid 14315 LRN2261 MB 343.0 MB 344.0 MB 345.0 Opel 1940 715 Opel 1940 766 Peugeot/Citroën 9979 A1 Porsche 000 043 203 33 Saab 93160548 Toyota 08886-01115 Toyota PSF NEW-W Volvo 30741424 VW G 002 000 VW G 004 000 M2 VW TL 521 46 ZF TE-ML 02K
GÖLT Break-In Oil SAE 30 0304	-	-	-
GÖLT Chainsaw Oil 0074-000347	-	-	-
GÖLT Chainsaw Oil 68 0074-000348	-	-	-
GÖLT Chainsaw Oil 220 0074-000350	-	-	-
GÖLT Rasenmäher-Öl SAE 30 0473	API SG/CF ACEA E2/B4	-	-
GÖLT Super Feinmechaniköl 0074-000346	-	-	-
GÖLT Racing Castor Oil SAE 40 0529	-	-	-



